



Bid Number: GEM/2020/B/526706
Dated: 03-02-2020

Bid Document

Bid Details	
Bid End Date/Time	17-02-2020 11:00:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	75 (Days)
Ministry/State Name	Ministry Of Human Resource Development
Department Name	Department Of Higher Education
Organisation Name	Indian Institute Of Science Education And Research (iisers)
Office Name	Pune 411008
Total Quantity	3
Item Category	Revolving Chair , Revolving Chair
MSE Exemption For Years Of Experience And Turnover	Yes
Startup Exemption For Years Of Experience And Turnover	Yes
Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Primary product category	Revolving Chair

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Revolving Chair (2 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	Proppylene	Proppylene
	seat material	PU foam covered with mesh fabric	PU foam covered with mesh fabric
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	55	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	NA	*
	Material of Fabric Back Cover / Material for Backrest	Innner frame Upholstered with Mesh fabric and mounted on main assembly	Innner frame Upholstered with Mesh fabric and mounted on main assembly
	Material of Fabric of Seat Cover	100% polyester fabric	100% polyester fabric
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	250 gram	*
GENERAL	Chair Type	Advance Bio Synchronic	Advance Bio Synchronic
	Tilt Tension Adjustment	Yes	*
	Height Adjustment ± 5(mm)	up to 90 mm	up to 90 mm
	Arm	With	With
	Type of backrest support	Backrest With Adjustable Lumber Support	Backrest With Adjustable Lumber Support
	Arm Type	Adjustable	Adjustable
	Colour of Fabric for Seat and Backrest	black	*
	Ergonomic Seat Design	Yes	Yes
	Back type	push back	push back
	Backrest is made of two pcs injection	Backrest is made of two pcs injection	*

	moulded frame	moulded frame	
	backrest has separate adjustable headrest	Yes	Yes
	Seat type	sliding	sliding
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	4-Position Locking	*
	Number of arm movement	8(Up & Down,Left & Right,Swivel And Front & Back)	8(Up & Down,Left & Right,Swivel And Front & Back)
	Lumber support	integrated	integrated
DIMENSION	Overall Chair Height ±15mm	1125	1125
	Backrest Height ±15mm	550	550.0
	Backrest Width ±10mm	480	480.0
	Seat Height ±15 mm	450	450
	Seat Width ±10 mm	500	500
	Seat Depth ±10 mm	500	500.0
	Thickness of MS Plate Joining the under structure with Seat	2	2.0
	Thickness of Plywood used in Seat ±1(mm)	15 mm	15 mm
	Thickness of Plywood used in Backrest ± 1(mm)	N.A	N.A
	Padestal Size (Diameter in mm) +/- 10 mm	650	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	55 mm	55 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	N.A	N.A
WARANTEE	Warrantee period in number of years	1-year	1-year
CERTIFICATION	Test reports to be furnished to buyer	YES	YES

on demand		
BIFMA Certification	NO	NO
OEM of offered product is ISO 9001:2015 certified	YES	YES
OEM of offered product is ISO 14001:2015 certified	YES	YES
OEM of offered product is ISO 18001:2007 certified	YES	YES
Green guard certification	NO	NO
Aiota	-	YES

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status : 020 2590 8246, PUNE CITY, 411008	2	20

Revolving Chair (1 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size

	Arm Material	Proopylene	Proopylene
	seat material	PU foam covered with mesh fabric	PU foam covered with mesh fabric
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	55	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	NA	*
	Material of Fabric Back Cover / Material for Backrest	Innner frame Upholstered with Mesh fabric and mounted on main assembly	Innner frame Upholstered with Mesh fabric and mounted on main assembly
	Material of Fabric of Seat Cover	100% polyester fabric	100% polyester fabric
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	250 gram	*
GENERAL	Chair Type	Advance Bio Synchronic	Advance Bio Synchronic
	Tilt Tension Adjustment	Yes	*
	Height Adjustment ± 5(mm)	up to 90 mm	up to 90 mm
	Arm	With	With
	Type of backrest support	Backrest With Adjustable Lumber Support	Backrest With Adjustable Lumber Support
	Arm Type	Adjustable	Adjustable
	Colour of Fabric for Seat and Backrest	black	*
	Ergonomic Seat Design	Yes	Yes
	Back type	push back	push back
	Backrest is made of two pcs injection moulded frame	Backrest is made of two pcs injection moulded frame	*
	backrest has separate adjustable headrest	Yes	Yes
	Seat type	sliding	sliding
	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	4-Position Locking	*
	Number of arm movement	8(Up & Down,Left & Right,Swivel And Front	8(Up & Down,Left & Right,Swivel And Front

		& Back)	& Back)
	Lumber support	integrated	integrated
DIMENSION	Overall Chair Height ±15mm	990	990
	Backrest Height ±15mm	550	550.0
	Backrest Width ±10mm	480	480.0
	Seat Height ±15 mm	450	450
	Seat Width ±10 mm	500	500
	Seat Depth ±10 mm	500	500.0
	Thickness of MS Plate Joining the under structure with Seat	2	2.0
	Thickness of Plywood used in Seat ±1(mm)	15 mm	15 mm
	Thickness of Plywood used in Backrest ± 1(mm)	N.A	N.A
	Padestal Size (Diameter in mm) +/- 10 mm	650	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	55 mm	55 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	N.A	N.A
WARANTEE	Warrantee period in number of years	1-year	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	YES
	BIFMA Certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	YES	YES
	OEM of offered product is ISO 18001:2007 certified	YES	YES

Green guard certification	NO	NO
Aiota	-	YES

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status : 020 2590 8246, PUNE CITY, 411008	1	20

Bid Specific Additional Terms and Conditions

1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
2. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
3. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
4. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
5. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
6. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the

Buyer.
7. ISO 9001: The bidder must have ISO 9001 certification.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---