

भारतीय विज्ञान शिक्षा एवं अनुसंधान संस्थान, पुणे INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH PUNE

(An Autonomous Institution, Ministry of Human Resource Development, Govt. of India)
IISER Pune Campus, Dr. Homi Bhaba Road, Pune-411 008.
Ph. No 020 2590 8001 Fax 020 2588 7499 / 2589 8022

No: 54(2) /IISER/Pune/202929/ 08

Dated 20/ 05 / 2020

NOTICE INVITING QUOTATION

Sealed quotations are hereby invited by the undersigned on behalf of the Director, IISER Pune for the work mentioned below up to 3.00 PM on 28/05/2020 from approved and eligible contractors registered with CPWD, Maharashtra State PWD, Railways, MES in appropriate category for electrical/ (B&C) works for the work mentioned below. The quotations will be opened at 3.30 PM on the same day.

Name of work: - Name of Work: - :- DESIGN, SUPPLY, INSTALLTION, TESTING, COMMISSIONING AND MAINTENANCE OF RO WATER PLANTS AT IISER PUNE. (D building)

Issue to - Name and address of the agency -



Executive Engineer,

Terms and Conditions:

- 1) The applicant should be registered (ANY ONE) with CPWD in western region, Maharashtra State PWD, MES, Railways in appropriate category for electrical / (B & C) works. OR Eligible specialized expert agency/authorized dealer/service provider for Water Treatment/Water Processing. Applicant should submit attested or notarized copies of the experience certificate for the work completed within last three years from client department with copy of work order/LOI to along with the quotation. Bidders not meeting the minimum eligibility criteria shall be summarily rejected.
- 2) The registration certificate should be valid till the last date of receipt of tender. Applicant should submit attested or notarized copies of the valid registration certificate along with quotation.
- 3) Time period for completion of work shall be **15** (fifteen) days from the date of placing the work order by IISER Pune. The act of backing-out after quotation will debar such agencies for participating in future quotations of IISER PUNE. Bidder may e-mail queries on maintenance@iiserpune.ac.in or submit to IISER PUNE office in hard copy on all working days before a day of submission date of quotation.
- 4) Quotation can be obtained from IISER PUNE Engineering office at Main Building between 10 AM to 4 PM on all working days before date of submission. Applicant may quote by downloading quotation document from IISER PUNE website.
- 5) All agencies need to submit their quotation in hard copy in a sealed envelope to this office by suitable means on and before **3 PM on 28/05/2020.** Quotation received after the date & time specified above shall not be accepted. Any delays, postal delay etc. will not be entertained.

 Agency should quote for all the items in the in the BOQ. The bid shall be submitted in the original

Bid document (as issued by the IISER, Pune) super scribing the name of work. Rates quoted in the

words shall be treated as final for deciding L1 bidder.

6) Quotations will be opened on the same day (28/05/2020) at 3.30 PM in the presence of agency

or their authorized representatives, if any. The offer of the agency should be commercially clear

including acceptance of all terms and conditions of this Quotation by the agency. IISER Pune

reserves the right to accept or reject the quotation/s without assigning any reasons.

7) Quotations submitted with any conditions shall be treated as 'Conditional Quotation' and shall be

summarily be rejected by IISER PUNE.

8) Quoted rates should be inclusive of cost of all the materials, labour cost, GST, all taxes, octroi,

duties, cost of sample and fees towards testing of materials in labs, royalties etc. complete.

Nothing extra shall be paid separately.

9) All approved makes shall be as per list attached with this and as per CPWD and manufactures

specifications. Agency should put-up technical data and obtain prior approval on makes of various

materials of IISER PUNE before taking-up work.

The successful agency shall make his own arrangement for all Tools & tackles for work etc

complete in view of completion of work. Electricity shall be provided free of cost to agency at one

source, agency should make own arrangement to safely tap of power from source to work

location.

No advance payment shall be made by IISER Pune.

Quoted rates should be including GST, TDS and other applicable taxes and cess will be deducted

from the bills of the work as applicable.

10) Specification for the work to be carried out as per BOQ, latest CPWD specification, IS

specifications, manufactured specification & as per instruction of IISER PUNE whenever

specification CPWD/ IS specification are not available.

11) The contractor shall ensure that minimum wages should be paid to the labours and employees in

accordance with labour laws.

12) L1 Agency to submit actual measurements and abstract sheet to IISER PUNE within 30 days from

completion of work.

Executive Engineer,

IISER Pune

Encl: - 1. Schedule of Quantity

2. Approved Make list for electrical

ISER PUNE

Sign & stamp of Agency-



| | APPROVED | APPROVED MAKELIST FOR ELECTRICAL |
|-------|------------------------------------|--|
| | | IISER PUNE |
| S.No. | Material | Make |
| н | Instrument Transformers Indicating | Kappa/Kalpa/Voltamp |
| | Meters | |
| 2 | Analog | Meco/Rishab/AE/HPL |
| m | Digital | Meco/AE/ Socomec/Conzerv/SECURE/HPL |
| 4 | Indicating Lamps | GE/SCHNEIDER/ Teknic/L&T/ALTOS, (MULTIPLE LEDs) |
| r. | PLC / Digital Load Monitor / Power | Electrex/Allen Bradley/GE/Schneider/Conzerv |
| | monitor | |
| 9 | Panel Accessories / Terminal block | Dirak/Elmax/phoenix/Wago |
| 7 | Timers | L& T/Minilec/ Siemens/ GE/ Schneider |
| ∞ | TVSS | ASCO /Schneider/ABB |
| 6 | Cable Terminating Kits | Raychem Heat Shrinkable/3M/CCI |
| 10 | Earthing | Erico/Nimbus/Ashlok |
| 11 | MV Switch Boards (LT panels) | Accusonic /Load Controls /Elins / Lotus Switchgear / |
| | | Pace Switch gears/Suvarna Electricals |
| 12 | Moulded Case Circuit Breaker | GE (Spectra / Record)/Schneider (COMPACT)/ L & T (0 |
| | | SINE)/ABB/MDS Legrand |
| 13 | MCB Distribution Board | Legrand/Schneider /Siemens |
| 14 | Miniature Circuit Breaker | MK/Legrand /Siemens/Schneider |
| 15 | ELCB / RCBO | MK/Legrand /Siemens/Schneider |

| | ı | ı | | 1 | | | 1 | | T | | 1 | | | 1 | 1 | | ī | 1 | 20 20 2 | A BIND | | | 1 1 |
|-------------------------------|---------------------|--------------------------------|------------------------------|-----------------------------------|--------------|--|--|-----------------------------------|----------------------------|---|--------------------------|-------------------------|--|-------------------------|------------------------------|-------------------|------------------------|------------------------|---------------------------------|-----------------------|---------------------------------------|-----------------------------|------------------------|
| MK/Legrand /Siemens/Schneider | Polycab/Finolex/CCI | Polycab/Finolex/CCI | Dowells/SMI/CCI/Electrowerke | Precision/DIAMOND/Finolex/Polycab | BEC/BI, | Legrand Mosaic/MK/Schneider/ Anchor(Ave) | Legrand Mosaic/MK/Schneider/ Anchor(Ave) | Philips / Wipro/ GE | Wipro/Asian/Siska /Philips | Crompton greaves (high breeze)/ Bajaj Super Model /Usha | Alstom/Almonard/Usha/CGL | Delton/Finolex/ Polycab | Anchor /MK (Suitable to mount on Legrand DLP trunking) / | Elmex | Legrand Mosaic/Mk/Schneider, | Anchor/Legrand/MK | Storrax/ Skaber/Profab | Storrax/ Skaber/Profab | LEGRAND/ MK/Schneider | LEGRAND/ MK/Schneider | Philips/Wipro/GE | Philips/Wipro/GE | Philips/Wipro/GE |
| Earth Leakage Relay | LT Cables (XLPE) | PVC Insulated copper wire FRLS | Cable Glands | PVC Rigid conduits | M S Conduits | Switches, Sockets, Plug etc | Ceiling rose / HOLDERS | Light fitting, Flourscent CFL/GLs | LED Light fitting | Ceiling Fan | Exhaust Fans | Telephone Cables | Telephone Sockets | Terminal Junction boxes | Power Socket Industrial type | TV Outlet | Cable trays | Metallic raceways | PVC raceways / PVC DLP trucking | Aluminium raceways | Surface / Recess mounted FTL fixtures | Recess mounted down lighter | Wall mounted luminaire |
| 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 22 | 26 | 27 | 28 | 53 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |



| 40 | Data Cable - CAT-6 | D-Link/Legrand/Polycab |
|----|--|--|
| 41 | External light fittings/ Garden Light fittings | Philips/Wipro /GE/Philips |
| 42 | Base plates and face plates | Legrand Mosaic/ MK/Schneider/Anchor |
| 43 | Full loaded patch panels | D link or RR |
| 4 | Data patch cords | D link or RR |
| 45 | Fire Alarm Control Panel | Notifier / Edward / Bosch / Cooper/ Siemens |
| 46 | Repeater Panel | Notifier / Edward / Bosch / Cooper/ Siemens |
| 47 | Addressable Smoke Detector | Notifier / Edward / Bosch / Cooper/ Siemens |
| 48 | Addressable Multi Sensor Detector | Notifier / Edward / Bosch / Cooper/ Siemens |
| 49 | Addressable Heat Detector | Notifier / Edward / Bosch / Cooper/ Siemens |
| 20 | Addressable Strobe Cum Sounder | Notifier / Edward / Bosch / Cooper/ Siemens |
| 51 | Addressable Sounder / Hooter | Notifier / Edward / Bosch / Cooper/ Siemens |
| 52 | Addressable Manual Call point | Notifier / Edward / Bosch / Cooper/ Siemens |
| 53 | Addressable Monitor Module | Notifier / Edward / Bosch / Cooper/ Siemens |
| 54 | Addressable Control Module | Notifier / Edward / Bosch / Cooper/ Siemens |
| 55 | FRLS Armoured Cable | Finolex /Polycab /Lapp |
| 26 | Other Items | Approval of Engineer In charge. |
| 57 | Isolation Transformer | Numeric Digital system (Novature)/ Neelkanth power solution/Ador |
| | | powertrans |

Executive Engineer



Scheduled of Quantity

Name Of Work:- :- DESIGN, SUPPLY, INSTALLTION, TESTING, COMMISSIONING AND MAINTENANCE OF RO WATER PLANTS AT IISER PUNE.

| Sr.No | Description | Qty | Unit | Rate in words and figure | Amount |
|-------|--|------|-------|--------------------------|--------|
| 1 | Supply, Installation, Testing & Commissioning of 500 LPH RO Plant Technical specification as per attached sheet. (Annexture -I) | 1 | Nos, | | |
| 2 | Wiring for circuit/ submain wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit/Casing Caping as required. | | | | |
| 2.1 | 2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire | 200 | Mtr | | |
| 3 | Supplying and fixing suitable size GI/PVC box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 & 15/16 A modular socket outlet and 15/16 A modular switch, connections etc. as required | 5 | Each | | |
| 4 | Providing and placing vargain platic RO water tripple layer tank on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes along with fittings and all necessary pumbing work as complete nothing extra charge be paid. 1000 ltrs 2 nos. tank required. (2 X 1000 Ltrs) | 2000 | Liter | | |
| 5 | Comprehensive AMC for period of 2 years after SITC of RO plant. It included monthly preventive maintenance of plant. Attending breackdown call within 24 hrs. it included providing all material, chemicals etc. for day to day operation and breckdown. Nothing extra shall be paid. Amc payment shall be dione on quaterly basis | 2 | Nos. | | |
| | Total Including all (taxes and transporation , nothing extra shall be paid) | | | | |

EXECUTIVE ENGINEER IISER PUNE



