

Bid Number: GEM/2020/B/644390 Dated: 21-05-2020

Bid Document				
Bid Details				
Bid End Date/Time	01-06-2020 10:00:00			
Bid Opening Date/Time	2020-06-01 10:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	70 (Days)			
Ministry/State Name	Ministry Of Human Resource Development			
Department Name	Department Of Higher Education			
Organisation Name	Indian Institute Of Science Education And Research (iisers)			
Office Name	Pune 411008			
Total Quantity	1			
Item Category	Workstation			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Bid to RA enabled	No			

#### EMD Detail

Required No
-------------

#### ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

## Workstation (1 pieces)

### **Technical Specifications**

## \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Туре	Form Factor	Desktop	Desktop
Processor	Processor Make	Intel	Intel
	Processor Generation	NA	NA Or higher
	Number of Cores per Processor	8	8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32 Or higher
	Processor Base Frequency (GHz)	2.1	2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 4.1, 4.2, 4.3 Or higher
	Processor Turbo Frequency (GHz)	3.2	*
	Processor Description	Intel Xeon Silver Series	Intel Xeon Silver Series Intel Xeon Gold Series, Intel Xeon Platinum Series Or higher
	Processor Number	Intel Xeon Silver 4208	Intel Xeon Silver 4114, Intel Xeon Silver 4116, Intel Xeon Gold 5118, Intel Xeon Gold 5120, Intel Xeon Gold 6126, Intel Xeon Gold 6128, Intel Xeon Gold 6130F, Intel Xeon Gold 6130F, Intel Xeon Gold 6134, Intel Xeon Gold 6134, Intel Xeon Gold 6138, Intel Xeon Gold 6138, Intel Xeon Gold 6140, Intel Xeon Gold 6140, Intel Xeon Gold 6142, Intel Xeon Gold 6144, Intel Xeon Gold 6144, Intel Xeon Gold 6148, Intel Xeon Gold 6148, Intel Xeon Gold 6150, Intel Xeon Gold 6150, Intel Xeon Gold 6152, Intel Xeon Gold 6154, Intel Xeon Platinum 8160, Intel Xeon Platinum 8164, Intel Xeon Platinum 8168, Intel Xeon Platinum 8170, Intel Xeon Platinum 8176, Intel Xeon Platinum 8180,

		Intel Xeon Silver 4208, Intel Xeon Silver 4210, Intel Xeon Silver 4214, Intel Xeon Silver 4215, Intel Xeon Gold 5215, Intel Xeon Gold 5215, Intel Xeon Gold 5215, Intel Xeon Gold 5217, Intel Xeon Gold 5217, Intel Xeon Gold 5218, Intel Xeon Gold 6230, Intel Xeon Gold 6240, Intel Xeon Gold 6242, Intel Xeon Gold 6244, Intel Xeon Gold 6248, Intel Xeon Gold 6252, Intel Xeon Gold 6254, Intel Xeon Gold 6254, Intel Xeon Platinum 8253, Intel Xeon Platinum 8260, Intel Xeon Platinum 8260L, Intel Xeon Platinum 8260M, Intel Xeon Platinum 8268, Intel Xeon Platinum 8270, Intel Xeon Platinum 8276, Intel Xeon Platinum 8276L, Intel Xeon Platinum 8276M, Intel Xeon Platinum 8280, Intel Xeon Platinum 8276L, Intel Xeon Platinum 8276M, Intel Xeon Gold 6234, Intel Xeon Gold 6234, Intel Xeon Gold 6238, Intel Xeon Gold 6238, Intel Xeon Gold 6238, Intel Xeon Gold 6238, Intel Xeon Gold 6240Y, Intel Xeon Gold 6240Y, Intel Xeon Gold 6240, Intel Xeon Gold 6240, In
Number of sockets available on the motherboard	2	*
Number of Sockets populated with the Processors	2	2 Or higher
Cache (MB)	11	11.0 - 64.0 Or higher
Out of Band Management	Intel vPro	*

Chipset Number	Intel C621	Intel C621, Intel C622, Intel C624, Intel X99, Intel X299 Or higher
Expansion Slots (PCle x 1) (Number)	0	*
Expansion Slots (PCle x 4) (Number)	0	*
Expansion Slots (PCle x 8) (Number)	2	*
Expansion Slots (PCle x 16) (Number)	4	*
Expansion Slots (PCI) (Number)	0	*
Graphics Type	Dedicated/Discrete	Dedicated/Discrete
Number of Graphic Cards	1	1, 2, 3, 4 Or higher
Graphic Card Description	nVIDIA Quadro P2000 5GB	nVIDIA Quadro P2000 5GB, nVIDIA Quadro P3000 6GB, nVIDIA Quadro RTX 3000 6GB, nVIDIA Quadro P4000 8GB, nVIDIA Quadro RTX 4000 8GB, nVIDIA Quadro P5000 16GB, nVIDIA Quadro RTX 5000 16GB, nVIDIA Quadro P6000 24GB, nVIDIA Quadro GP100 16GB, nVIDIA Quadro RTX 6000 24GB, nVIDIA Quadro RTX 8000 48GB, nVIDIA Quadro GV100 32GB, nVIDIA Tesla V100 SXM2 32GB, NVIDIA Quadro P2200 5GB GDDR5 Or higher
Operating System (Factory Pre-Loaded)	Ubuntu Linux	Ubuntu Linux
Recovery Image Media	NA	*
OS Certification	Windows,Redhat Linux	*
Applications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer)	Adobe After Effects CS/CC,Adobe Premiere Pro CS/CC,ANSYS Fluent,ANSYS Workbench	*
RAM Туре	DDR4	*
	Expansion Slots (PCIe x 1) (Number) Expansion Slots (PCIe x 4) (Number) Expansion Slots (PCIe x 8) (Number) Expansion Slots (PCI) (Number) Graphics Type Number of Graphic Cards Graphic Card Description Operating System (Factory Pre-Loaded) Recovery Image Media OS Certification Applications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer)	Expansion Slots (PCle x 1) (Number)0Expansion Slots (PCle x 4) (Number)0Expansion Slots (PCle x 8) (Number)2Expansion Slots (PCle x 16) (Number)4Expansion Slots (PCl) (Number)0Graphics TypeDedicated/DiscreteNumber of Graphic Cards1Graphic Card DescriptionNVIDIA Quadro P2000 5GBGraphics TypeDedicated/DiscreteNumber of Graphic Cards1Graphic Card DescriptionNVIDIA Quadro P2000 5GBGraphic Card DescriptionNUDIA Quadro P2000 5GBGraphic Card DescriptionNUDIA Quadro P2000 5GBScardsNamper of Graphic CardsApplications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer)Namper of SCARSYS Fluent,ANSYS Workbench

	RAM Speed (MHz)	2400	*
	Type of Memory	ECC RDIMM	*
	RAM Size (GB)	64	64, 128, 256, 512, 1024, 2048, 3072, 4096, 96, 192, 384, 768, 1536 Or higher
	Total Numbers of DIMM Slots Available	16	*
	Number of DIMM Slots Populated	2	*
	RAM Expandability upto using spare DIMM Slots (GB)	512	512, 1024, 3072, 4096, 1536, 2048, 768 Or higher
Primary Storage /Boot Drive	Type of Drives used to populate the internal Bays	NA	NA
	Number of Drives	0	*
	RAID for Operating System	NA	NA
	Capacity of each Drive (GB)	0	128, 256, 300, 384, 500, 512, 600, 768, 800, 900, 1000, 1024, 1200, 1800, 2000, 2048, 4000, 4096, 8000, 6000, 0 Or higher
Secondary Storage	Type of Drives used to populate the Internal Bays	SATA	SATA
	Total number of Internal Bays available for SATA Drive	4	*
	Number of Internal Bays populated with SATA Drive	1	1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Each SATA Drive Capacity (GB)	4000	4000, 8000, 6000 Or higher
	Speed of each SATA Drive (RPM)	7200	*
	Total SATA Drive Capacity (GB)	4000	4000, 8000, 5000, 6000, 7000, 9000, 12000, 16000, 20000, 24000, 28000, 32000 Or higher
	Total number of Internal Bays available for SAS Drive	0	*
	Number of Internal	0	0, 1, 2, 3, 4, 5, 6, 7, 8,

	Bays populated with SAS Drive		9, 10 Or higher
	Capacity of each SAS Drive (GB)	0	300, 600, 900, 1200, 1800, 800, 0 Or higher
	Speed of each SAS Drive (RPM)	0	*
	Total SAS Drive Capacity (GB)	0	300, 600, 900, 1200, 1800, 2100, 0 Or higher
	Total number of Internal Bays available for SSD	0	*
	Number of Internal Bays populated with SSD Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 Or higher
	Capacity of each SSD Drive (GB)	0	128, 256, 512, 1024, 2048, 800, 0 Or higher
	Total SSD Capacity (GB)	0	128, 256, 384, 512, 768, 1024, 2048, 4096, 0, 5120 Or higher
	Total number of Internal Bays available for PCle SSD	0	*
	Number of Internal Bays populated with PCIe Drive	0	0, 1, 2, 3, 4, 5, 6, 7, 8 Or higher
	Capacity of each PCIe Drive (GB)	0	128, 256, 512, 1024, 2048, 0 Or higher
	Total PCIe Drive Capacity (GB)	0	128, 256, 512, 1024, 2048, 4096, 0, 1536 Or higher
	Class of PCle Drives	NA	*
RAID	RAID level	0	*
	Number of RAID Controller Ports	8	8, 10 Or higher
	Speed of RAID Controller Ports (Gbps)	6	6, 12 Or higher
	RAID Controller Cache (GB)	0	*
Connectivity	Type of Ethernet Ports	Dual Gigabit NIC 10/100/1000	*
	Number of Ethernet Ports	2	2, 3, 4, 6 Or higher
	Wireless Connectivity	No	Yes, No Or higher

	lf Yes, Type of Wireless Connectivity	NA	Wi-Fi 802.11b/g/n, Wi-Fi 802.11ac, NA Or higher
	Bluetooth Connectivity	No	Yes, No Or higher
	If Yes, Version of Bluetooth Available	0	4, 4.1, 4.2, 5, 0 Or higher
Ports	Number of USB Version 2 Point 0 Ports	0	*
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	6	*
	Number of USB Version 3 point 1, Gen 2 Ports	0	*
	Number of USB Type C Ports	0	*
	Number of VGA Ports	1	*
	Number of HDMI Ports	0	*
	Number of Mini DP Ports	0	*
	Number of DP Ports	4	*
Display	<b>Display Availability</b>	Monitor	Monitor
	Display Size (cm)	54 - 56	54 - 56, 58- 61, 63 - 67, 68- 71, 72- 81, 82 - 87, 88 - 93, 94 - 97, 98 - 105, 107 - 110, 111 - 115, 116 - 120, 121 - 125, 126 - 130 Or higher
	Display Type	Non Touch	Non Touch, Touch Or higher
	Panel Type	Flat	Flat, Curved Or higher
	Panel Technology	IPS	IPS, OLED Or higher
	Display Resolution (Pixels)	1920×1080	1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160, 2560 x 1080, 2560 x 1440, 2560 x 1600, 3440 x 1440, 3840 x 1600, 5120 x 1440, 7680 x 4320 Or higher
	LED Backlit	Yes	*
	TCO Compliance for Monitor	тсо 07	*
	Colour Gamut	72% Color Gamut	*
	Monitor Stand	Standard	*

Power	Maximum Power (Watts)	1200	*
	Minimum Power Efficiency (%)	-	*
	Power Management Unit	Yes	*
	Redundant Power Supply	No	Yes, No Or higher
Input Devices	Mouse Connectivity, lf available	NA	*
	Type of Mouse, If available	NA	*
	Keyboard Connectivity, if available	NA	*
	Type of Keyboard, if available	NA	*
	Type of Keyboard in case of Mobile Workstation	NA	*
Generic	Optical Drive	-	*
	Number of External Bays	2	*
	Security	S/W Based	*
	Docking Station for Mobile Workstation	No	*
	Availability of Bundled Software	Yes	*
	Type of Bundled Software	Standard Performance Improvement Software	*
	Finger Print Reader in case of Mobile Workstation	NA	*
	Carry Case in case of Mobile Workstation	NA	*
Certification	BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when demanded by the buyer)	Yes	*
	BIS Registration Number and its Validity	-	*
	ROHS Compliance	Yes	*
	Other Certification Available (Requisite certificate may be	-	*

	furnished as and when demanded by the buyer)		
Operating Conditions	Minimum Operating Temperature (Degree C)	10	*
	Maximum Operating Temperature (DEgree C)	35	*
	Minimum Operating Humidity (%RH)	10	*
	Maximum Operating Humidity (%RH)	90	*
Warranty	Battery Warranty in case of Mobile Workstation	0	*
	On Site OEM Warranty (Year)	3	3, 4, 5 Or higher

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### **Additional Specification Documents**

#### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road, Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status : 020 2590 8246, PUNE CITY, 411008	1	30

# **Bid Specific Additional Terms and Conditions**

- 1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 2. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 3. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of

Telephone Numbers for Service Support.

4. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 5. Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

(i) Inhibit the desires and designed function of the equipment.

(ii) Cause physical damage to the user or equipment during the exploitation.

(iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

- 6. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 10 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.
- 7. The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST. Applicable Concessional rate of GST : 5%

Notification No.and date : The rate of GST applicable to IISER Pune is 5% for the items procured for Research purpose as per Notification No. 45/2017-Central Tax (Rate) New Delhi, 14th November, 2017 and Notification No. 47/2017-Integrated Tax (Rate) New Delhi, 14th November, 2017 dated 14/11/2017

8. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

This Bid is also governed by the General Terms and Conditions

#### ----Thank You----