



भारतीय विज्ञान शिक्षा एवं अनुसंधान संस्थान, पुणे
INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH (IISER), PUNE
Dr.Homi Bhabha Road Pune 411008

पूछताछ /ENQUIRY

		समस्त पत्रव्यवहार निदेशक को नामित होने चाहिए और निदेशक आई.आई.एस.ई.आर. पुणे के तरफ से एस एंड पी कार्यभारी के अवधान दिखाना चाहिए /All Communications to be addressed to The Director IISER PUNE for the attention of INCHARGE S & P FOR DIRECTOR	
		टेंडर पूछताछ क्र. Tender Enquiry No:	IISER/PUR/0515/19
		दिनांक Date	04/09/2019
महोदय/ Dear Sirs, विषय/Subject: दर सूची के लिए अनुरोध /REQUEST FOR QUOTATION DUE DATE: 19/09/2019 कृपया निम्नलिखित वस्तुओं के लिए आपकी प्रमुख दर सूची वितरण अवधि दिखाने वाले पूर्ण विनिर्देशों और साहित्य के साथ सीलबंद लिफाफे में वितरण अवधि के साथ देय दिनांक पर या उससे पूर्व इस कार्यालय में पहुँचनी चाहिए। कठिनाई की अवस्था में कृपया हमें purchase@iiserpune.ac.in पर संपर्क करें। /Please send your Principal quotation in a sealed cover for the following items with complete specifications and literature showing delivery period, on or before the due date to reach this office. In case of difficulty please contact us at purchase@iiserpune.ac.in			
अनु क्र./S.No:	सामग्री का विवरण/Description of Material		संख्या/Quantity
1	Camera and accessories (As per attached BOQ)		As per attached BOQ
1. Quotation received after due date will not be considered at all देय दिनांक के पश्चात प्राप्त दर सूची का विचार नहीं किया जाएगा। 2. फैक्स/ टेलेक्स द्वारा भेजी गई दर सूची को नहीं माना जाएगा।/Fax/Telex Quotation will not be considered. 3. आपके दर सूची को समाविष्ट करने वाले सिलबंद लिफाफे पर उपरोक्त अनुसार हमारा पूछताछ क्र. दिनांक और देय दिनांक अभिदत्त होना चाहिए /Our Enquiry No, date and DUE date as above must be subscribed on the sealed envelope containing your quotation. 4. हम अग्रिम भुगतान का शर्तों या दस्तावेजों के प्रतिकूल बैंक के माध्यम से भुगतान स्वीकार नहीं करते। /We do not accept the advance payment terms or through bank against documents.			भवदीय/Yours Faithfully Sd/- सलीम शेख

SCHEDULE OF REQUIREMENTS, SPECIFICATIONS & ALLIED TECHNICAL DETAILS

Bill of Quantity

SR NO	Particulars	Quantity
1	4k Mirrorless Digital Camera with 12-60mm Lens, 20.3MP Digital Live MOS Sensor, Venus Engine Image Processor, UHD 4K30p Video, Pre-Installed V-Log L, 5-Axis Sensor Stabilization; Dual I.S. 2	1
2	DMW-BLC12 Rechargeable Lithium-Ion Battery (7.2V, 1200mAh)	1
3	64GB Extreme PRO UHS-II SDXC Memory Card	1
4	Compact Wireless Microphone System (2.4 GHz) Built-In Omni Mic & 3.5mm Mic Input, 7 Hr Rechargeable Batteries + USB Power Bright	1
5	5-in-1 Collapsible Circular Reflector with Handles (32")	1
6	Headphones (Frequency response (Headphones)- 21 - 18000 Hz), Cable length:3 metre, Gold-plated 1/4" (6.3 mm) jack adaptor.	1
7	Camera backpack 16L	1
8	4k Mirrorless Digital Camera 4/3"-Sized HDR Sensor Record DCI 4K 4096 x 2160 up to 60 fps Dual Native ISO to 25,600 5" Touchscreen Display	1
9	LP-E6 Battery	1
10	External Battery and D-Tap Cable Kit for 4k Mirrorless Digital Camera 4/3"-Sized HDR Sensor Record DCI 4K 4096 x 2160 up to 60 fps Dual Native ISO to 25,600 5" Touchscreen Display	1
11	12-35mm f/2.8 II ASPH. POWER O.I.S. Lens	1
12	256GB Extreme PRO CFast 2.0 Memory Card	1



13	1/4"-20 To 1/4"-20 Adapter Spigot	1
14	Small Camera rig for 4k Mirrorless Digital Camera 4/3"-Sized HDR Sensor Record DCI 4K 4096 x 2160 up to 60 fps Dual Native ISO to 25,600 5" Touchscreen Display	1
15	Three points articulation arm, Center Locking Twist Handle, Ball Joint Ends with 1/4"-20 Studs Removable Shoe Mount	1
16	Motorized Camera Slider, Track and Dolly for DSLR Camera Slider with 3- Axis	1
17	Set of 2 Mini XLR to XLR Audio Cables	1
18	Cable Pack for 4k Mirrorless Digital Camera 4/3"-Sized HDR Sensor Record DCI 4K 4096 x 2160 up to 60 fps Dual Native ISO to 25,600 5" Touchscreen Display	1
19	5-In-1 Collapsible Circular Reflector Kit (42")	1
20	Micro Four Thirds lens - 35-100mm f/2.8 II POWER O.I.S.	1
21	Micro Four Thirds lens - 100-300mm f/4-5.6 II POWER O.I.S.	1
22	Micro Four Thirds lens - 25mm f/1.7 ASPH.	1
23	Micro Four Thirds lens - Macro 30mm f/2.8 ASPH. MEGA O.I.S. Lens	1
24	100mm Micro Four Thirds System Lens, 200mm (35mm Equivalent), Aperture Range of f/2.8 to f/32, One High Refractive Index Element	1
25	Micro Four Thirds lens - 16mm T2.2 Cine DS Lens for Micro Four Thirds Mount for APS-C	1
26	Panasonic Lumix G Vario 7-14mm f/4 ASPH. Lens	1
27	67mm Digital Filter Kit II includes a UV (C) HMC filter, a circular polarizer filter, and a 3-stop neutral density filter in a convenient filter pouch.	1

28	Variable Neutral Density Filter - 58mm	1
29	Variable Neutral Density Filter - 77mm	1
30	Gimbal Stabilizer system with Wireless Follow Focus Motor, more than 9 lb Weight Capacity	1
31	Li-Ion Battery(4-pack) for Gimbal Stabilizer system with Wireless Follow Focus Motor, more than 9 lb Weight Capacity	1
32	Mini Dual Handle for Gimbal Stabilizer system with Wireless Follow Focus Motor, more than 9 lb Weight Capacity	1
33	DC Male 5.5/2.5 Power Adapter Cable 14" for 4k Mirrorless Digital Camera 4/3"-Sized HDR Sensor Record DCI 4K 4096 x 2160 up to 60 fps Dual Native ISO to 25,600 5" Touchscreen Display	1
34	Backpack for Gimbal, Fits Gimbal, Camera, Lenses, Accessories Fits up to 14" Laptop	1
35	Compact quadcopter, Gimbal-Stabilized 12MP / 4K Camera OcuSync Transmission Technology Up to 4.3 Mile Control Range Up to 27 Minutes Flight Time, with Fly more Kit	1
36	64GB Extreme UHS-I microSDXC Memory Card with SD Adapter	1
37	Filter Neutral Density and ND/Polarizer Kit for Compact quadcopter, Gimbal-Stabilized 12MP / 4K Camera OcuSync Transmission Technology Up to 4.3 Mile Control Range Up to 27 Minutes Flight Time	1
38	Waterproof Hard Case with Insert for Compact quadcopter, Gimbal-Stabilized 12MP / 4K Camera OcuSync Transmission Technology Up to 4.3 Mile Control Range Up to 27 Minutes Flight Time	1
39	Dual wireless microphone system, digital microphone with 24-bits / 48kHz audio sampling, up to 150 m range with Wi-Fi detect & avoid technology, 20h battery life	1
40	Handy Audio Recorder, Record WAVs & MP3s up to 24-Bit / 96 kHz Records to microSD/SDHC, 3.5mm Input & Output Jacks, Built-In Limiter and Low-Cut Filter, High-Speed USB 2.0 Connectivity, Works as a USB Audio Interface, Uses 2 Included AAA Batteries	1

41	Accessory Pack for Handy Audio Recorder, Record WAVs & MP3s up to 24-Bit / 96 kHz Records to microSD/SDHC, 3.5mm Input & Output Jacks, Built-In Limiter and Low-Cut Filter, High-Speed USB 2.0 Connectivity, Works as a USB Audio Interface, Uses 2 Included AAA Batteries	1
42	On-Camera Shotgun Microphone & Artificial Fur Windshield Kit, Supercardioid Condenser Shotgun Mic, 20 Hz to 20 kHz Frequency Response, Selectable HPF & High-Frequency Boost	1
43	Pressure gradient receiver with short interference tube, hypercardioid at low and medium frequency and above 2kHz approaches lobar pattern Sensitivity in free field, no load (1kHz) 25 mV/Pa +- 1 dB, nominal impedance of 25 ohms and minimum terminating impedance of 800 ohms Equivalent noise level of 13 dB, equivalent noise level weighted as per CCIR 468-3 of 24 dB and maximum sound pressure level (passiv) of 130 dB Current consumption of 2 mA and Voltage of 48 +- 4 V Phantom.	1
44	Blimp Windshield and Shock Mount Suspension System for Shotgun Microphones	1
45	Boompole Microphone Boom Arm, adjustable from 0.84 meter (33 inch) to 3.28 meter	1
46	XVM-101M Angled Stereo 3.5mm to 3-Pin XLR Male Microphone Cable (1')	1
47	Portable Recorder with Field Kit, Record up to 6 Simultaneous Channels, Record up to 24-bit/96kHz Audio, Doubles as USB Audio Interface, Optional Shotgun Mic and XLR/TRS Inputs, Hot Shoe Mount with Field Kit (16GB SDHC Memory Card, Monitor Headphones[Frequency Response 10 Hz to 20 kHz Sensitivity 102 dB at 1 kHz / 1 mW Impedance 58 Ohms Maximum Power Handling 1000 mW Total Harmonic Distortion (THD) 1%] Custom Windbuster, Recorder Strap) 16GB SDHC Memory Card, Monitor Headphones, Custom Windbuster	1
48	Video Light (Daylight-Balanced) CRI 93, TLCI 95, R9 80 Wireless Dimming Adjustment with Remote, S-Mount Heatsink and Built-In Fan 100-240 VAC	1
49	Bi-Color LED Light Panel, Color Temperature Range: 3300-5600K Dimming: 10-100% CRI of 95, TLCI of 94, LCD Panel Low 30W Electrical Draw AC Adapter for Wired, Power Can Run on Optional L-Series Batteries	2

50	NP-F 6600mAh Batteries 2 Nos and 2 Charger Kit	1
51	Small Octagonal Softbox (36") Recessed Front Diffuser Removable Inner Baffle For Use With Strobe, LEDs & Fluorescents Fits Speed Rings for Most Popular Brands Optional Fabric Grids	1
52	Air-Cushioned Light Stand (Black, 8') Load Capacity: 8 lb, Max Height: 96" Min Height: 34", Folded Height: 29.6", Weight: 2.05 lb 4 Sections 5/8" Stud with 1/4"-20 Threaded Top	3
53	Light Kit Bag #2 (34 x 13.5 x 12") Three Mesh Zippered Accessory Pockets, Padded, Water-Resistant Soft Nylon, Six Touch Fastened Internal Dividers, Two Top Carry Handles, Handles Convert to Shoulder Straps, Dual Zippered Closure, Three Rubber Feet for Ground Protection, Accepts User-Supplied Lock	1
54	139 litres Electronic Dry Cabinet with Humidity Controller & Digital Display	1
55	Pressure gradient Active Electronics JFET Capsule 0.10" / 2.54 mm Polar Pattern Omnidirectional Address Type End Frequency Range 60 Hz to 18 kHz Output Impedance 3 kOhms Typical Signal to Noise Ratio 67 dB Maximum SPL 110 dB SPL (@ 1 kHz, 1% THD into 1 kOhm load) Maximum Output Level 189.0 dBu (@ 1 kHz, 1% THD into 1 kOhm load) Sensitivity -35 dB (17.8 mV @ 94 dB SPL) Equivalent Noise Level 27 dB-A Connector TRRS Maximum Output 189 mV Dynamic Range 83 dB typical Dimensions 46.5 x 0.18 x 0.18" / 1180 x 4.5 x 4.5 mm, mic and cable Weight 0.211 oz / 6.00 g	1
56	Triopd with Fluid Head, 75mm bowl base system offering a 6.6 to 17 lb payload range with three steps of counterbalance. The kit includes the fluid head, aluminum tripod legs, mid-level spreader, a quick release plate, pan bar, and soft carry case.	1
57	Compact Camcorder Case (Blue) 4k Mirrorless Digital Camera 4/3"-Sized HDR Sensor Record DCI 4K 4096 x 2160 up to 60 fps Dual Native ISO to 25,600 5" Touchscreen Display and other accessories.	1
58	EF 50mm f/1.8 STM Lens, EF-Mount Lens/Full-Frame Format, Aperture Range: f/1.8 to f/22	1
59	1TB Portable SSD, USB 3.1 Gen 2 Type-C port and read/write speeds up to 550 MB/s, Designed for use in 4K video workflows and on-location shoots, the ideal for speedy transfers of large 4K RAW files. The drive is housed in a waterproof, dust-proof, shock-proof, and X-ray-proof shell, and it comes with a hot shoe mount handy for location shooting.	1



60	Solid State Hard Disk - 1TB Storage Capacity USB 3.1 Type-C and Type-A Connections Up to 540 MB/s Data Transfer Rate USB Type-C & USB Type-A Cables Included AES 256-Bit Hardware Encryption	4
61	Solid State Hard Disk - 2TB Storage Capacity USB 3.1 Type-C and Type-A Connections Up to 540 MB/s Data Transfer Rate USB Type-C & USB Type-A Cables Included AES 256-Bit Hardware Encryption	1
62	Over-Ear Professional Studio Monitor Headphones, 40 mm drivers with rare earth magnets and copper-clad aluminum wire voice coils, Tuned for enhanced low-frequency performance.	1
63	THIN - 051 15.6" 144 Hz 7ms Ultra thin gaming laptop GTX 1060 6G, 6 Core, 16GB RAM, 256GB SSD, RGB KB VR ready, Metal, Black w/ Gold Diamond Cut, Win 10 home 64bit.	1
TOTAL		69



भारतीय विज्ञान शिक्षा एवं अनुसंधान संस्थान, पुणे
INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH (IISER), PUNE
Dr.Homi Bhabha Road Pune 411008

पूर्ति के लिए नियम और शर्तें/TERMS AND CONDITIONS FOR ENQUIRY.

1. दर सूची सीलबंद होनी चाहिए और उसमें पूछताछ क्र. दिनांक और देय दिनांक का उल्लेख होना चाहिए।/Quotation should be SEALED and mention the ENQUIRY NO:DATE and DUE DATE on the envelope.
2. दर सूची का केवल शाम 5.00 बजे तक की स्वीकार किया जाएगा। देय दिनांक के अगले कार्य-दिवस पर दोपहर के 3.30 बजे दर सूची कंपनी के यदि कोई प्रतिनिधि उपस्थित हो तो उनके सामने दर सूची को खोला जाएगा। /The quotations will be accepted only upto 5.00 p.m. The quotations will be opened in the presence of the representatives, if any, of the quoting firm at 3.30 p.m. on the next working day of the due date.
3. दर सूची/निविदाओं के खुलने की तारीख से 60 दिनों की अवधि तक के लिए आपका प्रस्ताव वैध माना जाएगा। /Your offer should be valid for a period of 60 days from the date of opening of the quotations/tenders
4. वस्तुओं के व्यक्तिगत/ प्रति वस्तुओं के लागत का विश्लेषण प्रदान किया जाना चाहिए।/Break up of individuals cost of items should be provided.
5. मूल्य का उद्धरण निम्नानुसार निर्दिष्ट किया जा सकता है।/The price quoted may be indicated as below:
 - a) बाहर गांव की कंपनियों के लिए/For Outstations firms- आई.आई.एस.ई.आर. पुणे के लिए/FOR IISER Pune/FOR destination basis
 - b) स्थानीय कंपनियों के लिए/For Local firms: आई.आई.एस.ई.आर. पुणे में मुफ्त वितरण/Free delivery at IISER Pune
6. आपके दर में पैकिंग और अग्रेषण शुल्क का समावेश होना चाहिए। एफ.ओ.आर. स्थान की दर सूची के मामले में बीमा भी कराया हुआ होना चाहिए। पारगमन के दौरान चोरी, हानि क्षति या टूटना के खिलाफ आपके पक्ष में माल का बीमा होना चाहिए।/Your rate should include packaging and forwarding charges. In case of quotation F.O.R. destination Insurance should also be covered. The good should be insured in your favor against theft, loss, damage or breakage during transit.
7. हम या तो स्वदेशी निर्माता से या विदेशी निर्माता से या तैयार स्टॉक से उपलब्ध सामग्री के प्रस्ताव पर विचार करने के लिए तैयार हैं। प्रदायक के स्वयं के आयात कोटा लाइसेंस के तहत अग्रेषण वितरण आधार पर पूर्ति के लिए कोई भी प्रस्ताव भी स्वीकार्य होगा। /We are prepared to consider the offer for the material, either from indigenous manufacturer or of foreign manufacturer or available from ready stock. Any offer to supply on forward Delivery Basis under supplier's own import quota license will also be considered.
8. जहां भी परिव्ययनीय है वहां GST का दर स्पष्टरूप से निर्दिष्ट किया जाना चाहिए। /The RATE OF GST should be clearly indicated wherever chargeable. **For Research Related Item the GST will be 5% and the Certificate to the effect will be provided along with the PO.**
9. दर सूची निम्नानुसार होनी चाहिए। The Quotation should have the following(In case the quote is in foreign currency) :
 - पैकिंग अग्रेषण और अंतर्देशीय माल-भाड़ा शुल्क सहित एफ ओ बी हवाई अड्डा शुल्क
FOB Airport price including packing forwarding and inland freight charges
 - हवाई माल-भाड़ा द्वारा सी आई एफ मुंबई शुल्क
CIF Mumbai price by Airfreight.
 - भारतीय एजेंटों का नाम और पता और उनके संपर्क क्रमांकों का विवरण
Name & address of the Indian agents and their contact details.
 - हमारे भंडार में अच्छी स्थिति में माल के प्राप्ति और उपकरणों के बारे में, संतोषजनक अधिष्ठापन और उसके शुरू करने के बाद भारतीय चलन में भारतीय एजेंट को एजेंसी कमीशन की राशि देय है। भारतीय विदेशी मुद्रा और विनियम अधिनियम के तहत, भारतीय एजेंसी को कमीशन या छूट आदि अगर कोई हो, तो उसे अलग से निर्दिष्ट किया जाना चाहिए। Amount of agency commission payable to Indian agent in Indian currency after receipt of consignments in good condition at our stores and in case of equipment, after satisfactory installation & commissioning. Indian Foreign Exchange and Regulations act requires that commission to Indian agency, discount etc if any indicated separately.
 - प्रख्यात भारतीय संस्थानों के नाम सूचित करें जहां आप समान उपकरण की आपूर्ति की हो और उपयोग कर्ताओं से उपकरण का संतोषजनक निष्पादन रिपोर्ट संलग्न कर सकते हैं।
Indicate names of reputed Indian organizations where you have supplied similar equipment and may attach satisfactory performance report of equipment from users.
 - अगर आपने पूर्ववर्ती तीन वर्षों में अन्य आई.आई.एस.ई.आर. संस्थानों को समान या समरूप उपकरण की आपूर्ति की है तो उसका अंतिम: या अंतिम रूप से भुगतान किया गया मूल्य की प्रति प्रस्तुत करें।
Prices eventually or finally paid in case you have supplied similar or identical equipment to other IISER institutes in the preceding 3 years
 - भारत के बाहर समस्त बैंक शुल्क का लाभार्थी द्वारा वहन किया जाएगा।
All Bank charges outside India shall be borne by the beneficiary
 - आपके द्वारा दिया जानेवाला सेवाओं का विवरण प्रतिपादित होना चाहिए
Details of services to be rendered by you.



- वितरण अवधि
Delivery period
- वारंटी अवधि सहित नियमों का विवरण
Details Terms including warranty period.

10. हम दस्तावेजों के विरुद्ध अग्रिम भुगतान शर्तें या भुगतान स्वीकृत नहीं करते। निम्न स्वीकृत भुगतान शर्तों के विवरण को देखिए। We do not accept advance payment terms or payment against documents. See below details of accepted payment terms.

भुगतान के तरीके/ Modes of Payment

A) उपभोज्य और छोटे उपकरण के लिए भारतीय मुद्रा में भुगतान

A) Payment in Indian Rupee for consumable and small equipment

i) परीक्षण/निरीक्षण और गुणवत्ता, संख्या और विनिर्देशों के आदेशों को संतोषजनक पाने के बाद आपूर्ति के नियम और शर्तें पूरी होने का समाधान के बाद, माल के प्राप्त के बाद, आदाता के खाते में देय चेक द्वारा आपूर्तिकर्ताओं को सीधे रूप से भुगतान किया जाएगा ।

ii) Payment will be made directly to the suppliers by NEFT/RTGS after receipt of the goods, tested /inspected and found satisfactory with regard to quality, quantity, and specifications ordered for and after satisfying that the terms and conditions of supply have been fulfilled.

B) उच्च मूल्य उपकरण के लिए भुगतान

B) Payment for high-value equipment

i) चालान मूल्य के 100% के लिए स्थिर साख-पत्र द्वारा और आदेश मूल्य के 10% के लिए निष्पादन बैंक गारंटी के प्रस्तुतिकरण पर वो वारंटी अवधि तक के लिए वैध होनी चाहिए तथा वहीं ग्राह्य मानी जाएगी। राशि का भुगतान हमारे बैंकर्स को असली पोत लदान प्रलेखों के प्रस्तुतिकरण पर किया जाना चाहिए।

ii) By Irrevocable Letter of Credit for 100% of the Invoice value and on submission of PERFORMANCE BANK GAUARNTTEE for 10% of the Order value, valid for the warranty period. Amount to be paid on presentation of original shipping documents to our bankers

11. वारंटी/WARRANTY

आई.आई.एस.ई.आर.पुणे द्वारा उपकरण के स्वीकृति की तारीख से उपकरण/साधन की व्यापक वारंटी पर आवश्यकताओं की सारणी द्वारा वस्तुओं को समाविष्ट करते हुए कम से कम 1 वर्ष के लिए आगे ले जाते रहेंगे। वारंटी में भागों के मुफ्त प्रतिस्थापना के सहित पूर्ण उपकरण के मुफ्त रखरखाव सहित आपूर्ति शामिल होगी। यदि उसमें कोई दोष हो, तो तात्कालिक आधार पर उसमें ध्यान देना होगा परंतु किसी भी मामले में कोई भी दोष अधिक से अधिक 24 घंटे तक रहना चाहिए। व्यापक वारंटी में भागों के साथ साइट पर वारंटी शामिल होती है। / The items covered by the schedule of requirement shall carry minimum **Three Year on equipment /Instrument comprehensive warranty** from the date of acceptance of the equipment by IISER, PUNE. Warranty shall include free maintenance of the whole equipment supplied including free replacement of parts. The defects, if any, shall be attended to on immediate basis but in no case any defect should prolong for more than 24 hours. The comprehensive warranty includes onsite warranty with parts.

गारंटी/वारंटी अवधि के दौरान यदि कोई दोष हो तो जहां भी आवश्यक हो वहां मुफ्त प्रतिस्थापना के आयोजन द्वारा उसे निःशुल्क संशोधित करना होगा। यदि इसमें लागत, बीमा, माल-भाड़ा, कस्टम ड्युटी, एवं समाशोधन, ऑक्ट्रॉय, स्थानिय कर शामिल है तो उसका वहन लाभार्थी या उसके एजेंट द्वारा किया जाएगा। इस विषय के लिए स्पष्ट पुष्टि दी जानी चाहिए। The defects, if any, during the guarantee/warranty period are to be rectified free of charge by arranging free replacement wherever necessary. This includes cost, insurance, freight, custom duty & Clearance octroi, local taxes if any should be borne by the beneficiary or his agent. A clear confirmation should be given for this item.

12. Please provide a compliance table with your quotation in the following format:

Item	Specification asked	Specification Quoted for	Departure and remarks
------	---------------------	--------------------------	-----------------------

Please provide sufficient technical details with your quotation (in the form of brochures, spec sheets or tech notes) such that every point should be independently verifiable. Marking the details on the accompanying material will be greatly appreciated.

13. अगर उपर्युक्त किसी शर्त का पालन नहीं किया गया तो दर सूची अस्वीकृत होने की संभावना है। /The quotations are liable to be rejected if any of the above condition are not complied with

14. निविदाओं/ दर सूचियों की मुद्रित शर्तें हम पर बंधन कारक नहीं होंगी। /Printed condition of the tenders/quotations shall not be binding on us.

15. दर सूची की स्वीकृति निदेशक, भारतीय विज्ञान शिक्षा एवं अनुसंधान संस्थान पुणे पर निर्भर होगी, जो सबसे कम दर सूची को स्वीकृत करने के लिए स्वयं बाध्य नहीं है और वे किसी कारण को बताए बिना किसी भी या सभी दर सूची को आंशिक रूप से स्वीकार करने या पूर्णतः अस्वीकार करने के लिए अपना अधिकार आरक्षित रखते हैं। /The acceptance of the quotation will rest with the Director, Indian Institute of Science Education and research (IISER) Pune who does not bind himself to accept the lowest quotation and reserves the right to himself to reject or partially accept any or all the quotations received without assigning any reason.