



Bid Document

Bid Document			
Bid Details			
Bid End Date/Time	08-09-2020 17:00:00		
Bid Opening Date/Time	08-09-2020 17:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	75 (Days)		
Ministry/State Name	Ministry Of Human Resource Development		
Department Name	Department Of Higher Education		
Organisation Name	Indian Institute Of Science Education And Research (iisers)		
Office Name	Pune 411008		
Total Quantity	1		
Item Category	Server		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer		
Bid to RA enabled	No		
Inspection Required	No		

EMD Detail

Required	No

ePBG Detail

Required	No

Splitting

Bid splitting not applied.

Server (1 pieces)

Technical Specifications

* As per GeM Category Specification

Processor	Processor Architecture	CISC(X86)	*
	Processor Make	Intel	Intel
	Number of Cores per Processor	16	16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 64 Or higher
	Processor Base Frequency (GHz)	2.3	2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5 3.6, 3.7, 3.8, 3.9, 4 Or higher
	Processor Turbo Frequency (GHz)	3.9	*
	Total Cache (L1+L2+L3)(MB)	22	22.0 - 256.0 Or higher
	Processor Description/ Number	Intel Xeon Gold 5218	*
Chassis	Form Factor	Rack	*
	Size (RU)	1	*
Motherboard	Chipset compatible with CPU	Intel C621	*
	Expansion Slots Gen 3 (PCle x1)	0	*
	Expansion Slots Gen 3 (PCle x4)	0	*
	Expansion Slots Gen 3 (PCIe x8)	2	*
	Expansion Slots Gen 3 (PCIe x16)	1	*
	Maximum number of Sockets available on Server	2	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
	Maximum number of Sockets populated with Processors available on Server	1	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
Co Processor / GPU	Availability of Co Processor /GPU	No	Yes, No Or higher
	If Yes, Maximum Number of Slots available for Co- Processor/GPU	0	*
	If Yes, Maximum Number of slots populated with Co processor/GPU	0	*
	If Yes, Co Processor /GPU Description	NA	*
Memory	Type of RAM	DDR4 SDRAM with ECC	DDR4 SDRAM with ECC
	Total Number of DIMM Slots available	24	*
	Number of DIMM Slots populated with DDR SDRAM	4	*
	Number of DIMM Slots populated with DDR	0	*

	NVRAM		
	DDR SDRAM Size(GB)	128	128.0 - 6144.0 Or higher
	DDR NVRAM Size (GB)	0	0.0 - 1600.0 Or higher
	DDR SDRAM upgradable upto using spare DIMM Slots (GB)	0	ж
	DDR NVRAM upgradable upto using spare DIMM Slots (GB)	0	*
SSD Storage	Type of Interface for SSD	NA	NA
	Type of SATA SSD	NA	*
	SATA SSD Hot Swappable	NA	*
	Endurance for SATA SSD (DWPD - Drive Writes Per Day) (X)	0	*
	Total Number of Slots available for SATA SSD	0	*
	Number of Slot Populated with SATA SSD	0	*
	Capacity offered per SATA SSD (GB)	0	*
	Total Capacity Offered with SATA SSD (GB)	0	More than 0.0 Or higher
	Type of SAS SSD	NA	*
	SAS SSD Hot Swappable	NA	*
	Endurance for SAS SSD (DWPD - Drive Writes Per Day) (X)	0	*
	Total Number of Slots available for SAS SSD	0	*
	Number of Slots populated with SAS SSD	0	*
	Capacity Offered per SAS SSD (GB)	0	*
	Total Capacity Offered with SAS SSD (GB)	0	More than 0.0 Or higher
	Type of NVMe SSD	NA	*
	NVMe SSD Hot Swappable	NA	*
	Endurance for NVMe SSD (DWPD - Drive Writes Per Day) (X)	0	*
	Total Number of Slots available for NVMe SSD	0	*
	Number of Slots populated with NVMe SSD	0	*
	Capacity Offered per	0	*

	NVMe SSD (GB)		
	Total Capacity Offered with NVMe SSD (GB)	0	More than 0.0 Or higher
HDD Storage	Type of Interface for Hard Disk Drive	SAS	SAS
	Total number of Slots available for SATA Drive	0	*
	Number of Slots populated with SATA Drive	0	*
	Capacity offered per SATA Drive (GB)	0	*
	SATA drive speed (hot plug or better) (RPM)	NA	*
	Total Storage Capacity offered with SATA Drive (GB)	0	More than 0.0 Or higher
	Total number of slots available for SAS drive	8	*
	Number of Slots populated with SAS Drive	5	*
	Capacity offered per SAS Drive (GB)	1200	*
	SAS drive Speed (Hot plug or better) (RPM)	10K	*
	Total Storage Capacity offered with SAS Drive (GB)	6000	More than 6000.0 Or high
	Total number of slots available for NL SAS drive	0	*
	Number of Slots populated with NL SAS Drive	0	*
	Capacity offered per NL SAS Drive	0	*
	NL SAS drive speed (hot plug or better) (RPM)	NA	*
	Total Storage Capacity offered with NL SAS Drive (GB)	0	More than 0.0 Or higher
AID	RAID level	5	*
	No of RAID Controller Ports	8	8 Or higher
	Speed of RAID Controller Ports (Gbps)	12	12 Or higher
	RAID Controller Cache (GB)	2	*
orts & Interfaces	Network Card Supported	1G,10G,25G	*
	Number of Networking Interface	1	2, 3, 4, 5, 6, 7, 8, 1 Or higher

Cards (LAN)		l I
Whether Network Interface Card Embedded	No	*
Total Number of Ethernet Ports required in Server	2x1G	2x1G
Networking Interface Card Features	Asset Feature Tracking,Security Management,Remote Wake up,Each Adapter should support vNICs	*
Server Network Ports should Support SR-IOV Feature	No	*
Server network ports should support DPDK and it should deliver zero packet loss as per RFC 2544 and deliver 100% line rate for all the packet sizes over 64 Bytes, Vendor to submit latest DPDK test report for the same	No	*
Number of Single port FC HBA card	0	0, 1, 2, 3, 4 Or higher
Number of Dual port FC HBA card	0	0, 1, 2, 3, 4 Or higher
Number of Quad port FC HBA card	0	0, 1, 2, 3, 4 Or higher
FC HBA Speed (Gbps)	NA	8, 16, 32, NA Or higher
vHBA Card Features Supported	No	*
Number of Converged Network Adaptor (CNA)	0	0, 1, 2, 3, 4 Or higher
Number of Ports per CNA card	NA	Dual Port, Quad Port, NA Or higher
CNA Port Speed (Gbps)	0	10, 25, 40, 50, 100, 200, 0 Or higher
Length of LC-LC Cable per SFP+ Port (meter)	0	5, 10, 15, 0 Or higher
Length of LC-LC Cable per HBA Port (meter)	0	5, 10, 15, 0 Or higher
Length of LC-LC Cable per CNA Port (meter)	0	5, 10, 15, 0 Or higher
Length of Twinax Breakout Cables per Port (meter)	0	*
Video Controller (support VGA or above resolution)	No	*
Keyboard Port	No	*
Mouse Port	No	*

11			
	DVD ROM (Internal/Exrternal)	No	*
	USB Ports (version 2point0/3point0)	3	*
	Total number of Spare Bays Available for Future Upgradation (Internal)	3	*
	Total number of Spare Bays Available for Future Upgradation (Hot Plugable)	0	*
Certifications	Certifications/Complia nce (OS)	Windows,Red Hat Linux,Suse Linux,Ubuntu,Cent OS	Windows, Red Hat Linux, Suse Linux, Ubuntu, Cent OS
	Certification/Compliance (Virtualization/Cloud Platform)	VM ware,HyperV,Oracle Virtualization,Red Hat Virtua lization,PowerVM,OpenStack ,Kubernetes,Xen,KVM	*
Features	Management Features-1	Remoter power On/ Shutdown of server,,Remote Management of Server over LAN & WAN with SSL encryption through gigabit management port,,Should have virtual Media support with all required licenses.,Remote KVM,Server Health Logging,Out of Band Management	Remoter power On/ Shutdown of server,, Remote Management of Server over LAN & WAN with SSL encryption through gigabit management port,, Should have virtual Media support with all required licenses., Remote KVM, Server Health Logging, Out of Band Management
	Management Features-2	Management of multiple Servers from single console with single source of truth for multiple sites.,Automated infrastructure management for patch upgrades, version upgrades ,etc.,Simplified management with analytics driven actionable intelligence.,System tagging giving admin flexibility to provide metadata tags to each System to enable users to filter and sort systems based on user- assigned attributes,Hardware Profile based deployment to multiple Servers simultaneously,Policy template for deployment of single policy to multiple Servers simultaneously,Platfrom inventory and helath status,Server utilization statistics collection (including firmware updates and diagnostic tools),Should provide an alert in case the system is not part of OEM hardware complatibilty	*

		test, Solution should be open and programmable providing Rest API, SDK for programming lanugaes like Python, power shell scripts etc., Should have customizable dashboard to show overall faults/health/inventory for all managed infrastructure the solution should provide option to create unique dashboards for individual users. the user should be flexibility to select name for dshasboards and widgets (viz. health, utilization etc), Single pane of glass for auto Provisioning across Multi vendor & multi hypervisor platform, Self service portal deployment for automated provisioning, Real-time out-of-band hardware performance monitoring & alerting	
	Security Features-1	Secure Boot(Firmware and Bios Level Security), Provision to lock the system on breach, Hardware root of trust/Dual Root of Trust, Server should provide policy based security, Server should provide server intrusion detection,	Secure Boot(Firmware and Bios Level Security), Provision to lock the system on breach, Hardware root of trust/Dual Root of Trust, Server should provide policy based security, Server should provide server intrusion detection,
	Security Features-2	Provision for Cryptographic firmware updates, Capability to stop execution of Application/Hyperviser/ Operating System on predefined security breach, Secure / Automatic BIOS recovery, Network Card secure firmware boot, In case of any security breach system should provide the lock down feature	*
	Server scalability to be achived within the box & without adding nodes	NA	*
	support for high availability clustering and virtualization	No	*
Generic	Redundant Power Supply	Yes	*
	Hot Swappable (Redundant Power Supply)	Yes	*
	Power Supply Efficiency	Platinum	Platinum, Titanium Or higher
	Redundant Fan	Yes	*

	Hot Swappable (Redundant Fan)	Yes	*
	Server Main Supply	230 +/- 10%Vac	*
Benchmark	SPEC int_rate_base 2017 for the product (must be available on SPEC dot ORG before evaluation)	183	More than 183.0 Or higher
	SPEC fp_rate_2017 for the product (must be available on SPEC dot ORG before evaluation)	179	More than 179.0 Or higher
	SPEC int_speed_base 2017 for the product (must be available on SPEC dot ORG before evaluation)	183	*
	SPEC fp_speed_2017 for the product (must be available on SPEC dot ORG before evaluation)	179	*
Miscellaneous	Maximum power consumption of the system (Watts)	500	*
	BIS Registration under CRS of MeitY	Yes	*
	BIS Registration Number Under CRS of MeitY and its validity	-	*
	Other Certifications Available	UL,FCC	*
	RoHS Compliance	Yes	*
	Availability of the type test report from Central Government / NABL / ILAC acredited laboratory covering verification of all features & functional parameters & environmental tests sequence	No	*
	a) Dry heat:test - for 16 hrs at 45 deg C as per IS: 9000/pt-3/sec-5/1977 b) Cold test - for 4 hrs at 0 deg C as per IS: 9000/pt-2/sec-4/1977 c) Damp Heat Cyclic Test - for 2 cycles of 24 hrs at 40 deg C & 95% RH as per IS: 9000/pt-5/sec-1/1981	NA	*
	The server has been checked for all the parameters before conditioning, After completion of the environmental tests	NA	*

	sequence, with a recovery period of 1 to 2 hrs, the server found to be functional		
	Test Report Number & date	-	*
	Name & Address of Lab	-	*
Scope of Supply	Installation and Commissioning shall be included in the scope of supply	Yes	*
Warranty	On Site OEM Warranty (Year)	5	5, 7 Or higher

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road, Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status: 020 2590 8246, PUNE CITY, 411008	1	15

Bid Specific Additional Terms and Conditions

- 1.Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 2.Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 3.Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 4.ISO 9001: The bidder must have ISO 9001 certification.

5. Malicious Code Certificate:

The seller should upload following certificate in the bid:-

- (a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-
- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.
- (b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.
- 6. Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:
 - i) The Seller fails to comply with any material term of the Contract.

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.
- 7.The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST.

Applicable Concessional rate of GST: 5%

Notification No.and date: 47/2017 dated 14/11/2017

- 8.Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 10 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.
- 9.OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
- 10.Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

This Bid is also governed by the General Terms and Conditions

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---