

Bid Number: GEM/2020/B/524709

Dated: 30-01-2020

Bid Document

a Document
Bid Details
12-02-2020 13:00:00
90 (Days)
75 (Days)
Ministry Of Human Resource Development
Department Of Higher Education
Indian Institute Of Science Education And Research (iisers)
Pune 411008
2
Computer Printers , Desktop Computers
Yes
Yes
Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
No
Desktop Computers

EMD Detail

Required	No
·	

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Computer Printers (1 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Specifications	Cartridge Technology	Composite Cartridge	Composite Cartridge, separate toner and drum Or higher
	Printing Technology	Laser	Laser
	Type of Printing	Colour	Colour
	Paper Size	A4	A4, A3 Or higher
	Print Speed per minute as per ISO/IEC 24734 in (A4) Size - Mono	24	25, 27, 28, 30, 35, 38, 40, 43, 45, 47, 50, 52, 55, 60, 61, 65, 70, 71, 75, 80, 85, 90, 95, 100, 105, 110, 26, 31, 32, 24, 62, 33, 41, 46, 56, 29, 34 Or higher
	Print Speed per minute as per ISO/IEC 24734 in (A4) - Color	24	25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 105, 110, 26, 27, 31, 38, 24, 33, 46, 34 Or higher
	Resolution (Dpi)	9600x600	*
	Memory (MB)	256	*
	Hard Disk Capacity (GB)	0	*
	Processor Speed	533 MHz	*
	Duplexing Feature	Yes	Yes Or higher
	Duplex Print Speed (IPM)	10	*
	Network Connectivity	Yes	*
	Network Interface, if available	Ethernet 10/100/1000	*
	Wireless Connectivity	No	Yes, No Or higher
	If Yes, Type of Wireless Connectivity	NA	*
	USB Port	Yes	*
	Number of Main Paper Trays	1	1, 2, 3, 4, 5 Or higher
	Each Main Paper Tray Capacity	250	*

Bypass Tray Facility	Yes	Yes Or higher
If Yes, Bypass Tray Capacity	50	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	1500	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	1500	*
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)	2000	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology -Cyan	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta	0	*
Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black	0	*
Duty Cycle (No of Prints/month)	60000	*
Minimum Operating Temperature (Degree C)	10	*
Maximum Operating Temperature (Degree	30	*

	C)		
	Minimum Operating Humidity (%RH)	20	*
	Maximum Operating Humidity (% RH)	70	*
	BIS Registration under CRS of Meity	Yes	*
	BIS Registration no	-	*
	Other Certifications Available	RoHS,UL	*
	Dimensions(In mm x mm x mm)	-	*
	Weight (In kg)	-	*
*6 '5'	On site OEM warranty (Years)	3	3, 5, 4 Or higher

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Vrushali Sanjog Birla	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road, Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status: 020 2590 8246, PUNE CITY, 411008	1	20

Desktop Computers (1 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Motherboard	Chipset Series	Intel Q Series	Intel Q Series Or higher
	Expansion Slots (PCle x 1) (Number)	2	*

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

	Chipset Number	Intel Q 370	Intel Q 370 Or higher
	Expansion Slots (PCle x 4) (Number)	1	*
	Expansion Slots (PCle x 16) (Number)	1	*
	Expansion Slots (PCI) (Number)	0	*
	Expansion Slots (M Dot 2)	2	*
Processor	Processor Make	Intel	Intel
	Processor Generation	9	9.0 Or higher
	Number of Cores per Processor	8	8 Or higher
	Processor Base Frequency (GHz)	3	*
	Processor Description	Intel Core i7	Intel Core i7, Intel Core i9 Or higher
	Processor Number	Intel Core i7 9700	Intel Core i7 8700, Intel Core i7 8700K, Intel Core i7 9700, Intel Core i9 9900 Or higher
	Out of Band Management	NA	*
	Cache (MB)	12	*
Graphics	Graphics Type	Dedicated/Discrete	*
	Graphic Card Description	-	*
	Size of Memory in Case of Dedicated Graphic Card (GB)	2	*
	Size of VRAM in case of Integrated Graphics (MB)	-	*
Operating System	Operating System (Factory Pre-Loaded)	Windows 10 Professional	Windows 10 Professional
	Recovery Image Media	-	*
	OS Certification	Windows	*
Memory	Type of RAM	DDR4	*
	RAM Size (GB)	16	16, 32, 64 Or higher
	RAM Speed (MHz)	2666	*
	Total Numbers of DIMM Slots Available	4	*
	Number of DIMM Slots	1	*

	populated		
	RAM Expandability up to(using spare DIMM Slots in GB)	64	64, 128 Or higher
Storage	Total Number of Internal Bays available	1	*
	Number of 2 point 5 inches internal Bays	0	*
	Number of 3 point 5 inches Internal Bays	1	*
	Number of 2 point 5 Inches Internal Bays Populated	0	*
	Number of 3 point 5 Inches Internal Bays Populated	1	*
	Type of Drives used to populate the Internal Bays	HDD,SSD	HDD, SSD
	Number of Internal Bays populated with HDD	1	*
	Capacity of each HDD (GB)	1000 @7200 rpm	*
	Total HDD Capacity (GB)	1000	1000, 1500, 2000, 2500, 3000 Or higher
	Number of Internal Bays populated with SSD	1	*
	Capacity of each SSD (GB)	128	*
	Total SSD Capacity (GB)	128	128, 256, 384, 512, 768, 1024, 2048 Or higher
	Number of Internal Bays populated with SSHD	0	*
	Capacity of each SSHD (GB)	NA	*
	Total SSHD Capacity in addition to 8 GB Flash (GB)	0	500, 1000, 2000, 0 Or higher
	Optane Memory (GB)	0	*
Cabinet	Cabinet Form Factor	Tower (13.1 to 26 Litres)	Tower (13.1 to 26 Litres)
	Cabinet Volume (Litres)	-	*

	External Bays (Number)	1	*
	Optical Drive	DVD R/W	*
	Internal Speaker	Yes	*
	Audio-in	Yes	*
	Audio-out	Yes	*
	Headphone out	Yes	*
	Microphone-in	Yes	*
Connectivity	Wireless Connectivity	No	*
	If Yes, Type of Wireless Connectivity	NA	*
	Number of Ethernet Ports	1	*
	Type of Ethernet Ports	Intel 10/100/1000 Integrated Network Ports for vPRO	*
	Bluetooth Connectivity	No	*
	If Yes, Version of Bluetooth Available	0	*
Ports	Number of USB Version 2 Point 0 Ports	4	*
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	5	*
	Number of USB Version 3 point 1, Gen 2 Ports	0	*
	Number of USB Type C Ports	1	*
	Number of Serial Ports	0	*
	Number of Parallel Ports	0	*
	Number of VGA Ports	0	*
	Number of HDMI Ports	1	*
	Number of DP Ports	2	*
Monitor	Model of the Monitor	-	*
	Monitor Technology	IPS	IPS Or higher
	LED Backlit Monitor Size (INCHES)	21.5	21.5, 22, 23, 24, 27, 23.8 Or higher
	Monitor Resolution (PIXELS)	1920×1080	1920x1080, 1920 x 1200, 3200x1800, 3840 x 2160 Or higher
	TCO Certification for Monitor	-	*

_			
	Number of VGA Ports in the Monitor	1	*
	Number of HDMI Ports in the Monitor	1	*
	Number of Display Ports in the Monitor	0	*
	Availability of Webcam integrated with Monitor	No	*
	If Yes, Resolution of Webcam	NA	*
	Availability of Speakers integrated with Monitor	No	*
	If Yes, Number of Speakers available	0	*
Power	Power Supply Capacity (Watt)	-	*
	Minimum Power Efficiency Range (%)	90 - 94	*
Certification	ROHS Compliance	Yes	*
	BEE / Energy Star for the given Model	Yes	*
Input Devices	Mouse Connectivity	Wired	*
	Type of Mouse	Optical Scroll	*
	Keyboard Connectivity	Wired	*
	Type of Keyboard	Standard with Rupee Symbol	*
Operating Conditions	Minimum Operating Temperature	5	*
	Maximum Operating Temperature	35	*
	Minimum Operating Humidity (%RH)	20	*
	Maximum Operating Humidity (%RH)	80	*
Warranty	On Site OEM Warranty (Year)	3	3, 5, 4 Or higher

Additional Specification Documents

Consignees/Reporting Officer and Quantity

^{*} Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road, Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status: 020 2590 8246, PUNE CITY, 411008	1	20

Special terms and conditions for category Desktop Computers

1) As per notification of MEITY circulated vide letter no. F.No.33(1)/2017-IPHW..dated :14/09/2017, the minimum local content should be 45.percent to qualify as local or domestic manufacturer.\n\nSeller has to ensure that operating system software etc comes preloaded with machine from respective OEM . Any deviation in respect of genuinity and authenticity of OS will attract severe penalty on part of seller as law of the land and contractual provisions. Buyer are also requested to verify the key no of OS etc with server of Microsoft/Linux before accepting machines to avoid complexity at latter stage.

Bid Specific Additional Terms and Conditions

- 1. The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST. Applicable Concessional rate of GST: 5%

 Notification No.and date: Notification No. 45/2017-Central Tax (Rate) New Delhi, 14th November, 2017 and Notification No. 47/2017-Integrated Tax (Rate) New Delhi, 14th November. 2017 dated 14/11/2017
- 2. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.
- 3. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 4. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 5. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 6. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves

the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

This Bid is also governed by the General Terms and Conditions

---Thank You---