



भारतीय विज्ञान शिक्षा एवं अनुसंधान संस्थान, पुणे  
INDIAN INSTITUTE OF SCIENCE EDUCATION AND RESEARCH PUNE

(An Autonomous Institution, Ministry of Human Resource Development, Govt. of India)  
IISER Pune Campus, Dr. Homi Bhaba Road, Pune-411 008.  
Ph. No 020 2590 8001 Fax 020 2588 7499 / 2589 8022

No: 54(2) /IISER/Pune/2018-19/ 120

Dated 03/05/ 2019

**NOTICE INVITING QUOTATION**

Sealed quotations are hereby invited by the undersigned on behalf of the Director, IISER Pune for the work mentioned below up to **3.00 PM on 10/05/2019** from approved and eligible contractors registered with CPWD, Maharashtra State PWD, Railways, MES in appropriate category for electrical/ (B&C) works for the work mentioned below. The quotations will be opened at 3.30 PM on the same day.

**Name of work.: Providing Electrical distribution system and required arrangement for installation of energy meter at D building, IISER Pune.**

Issue to – Name and address of the agency –

*A. Kulkarni*

**Executive Engineer,  
IISER Pune**

**Terms and Conditions:**

- 1) The applicant should be registered with CPWD in western region, Maharashtra State PWD, MES, Railways in appropriate category for electrical / (B & C) works. The registration certificate should be valid till the last date of receipt of tender. Applicant should submit attested or notarized copies of the valid registration certificate along with quotation.
- 2) Time period for completion of work shall be 21 (Twenty one) days from the date of placing the work order by IISER Pune. The act of backing-out after quotation will debar such agencies for participating in future quotations of IISER PUNE. Bidder may e-mail queries on [maintenance@iiserpune.ac.in](mailto:maintenance@iiserpune.ac.in) or submit to IISER PUNE office in hard copy on all working days before a day of submission date of quotation.
- 3) Quotation can be obtained from IISER PUNE Engineering office at Main Building between 10 AM to 4 PM on all working days before date of submission. Applicant may quote by downloading quotation document from IISER PUNE website.
- 4) All agencies need to submit their quotation in hard copy in a sealed envelope to this office by suitable means on and before **3 PM on 10/05/2019**. Quotation received after the date & time specified above shall not be accepted. Any delays, postal delay etc. will not be entertained. Agency should quote for all the items in the in the BOQ. The bid shall be submitted in the original Bid document (as issued by the IISER, Pune) super scribing the name of work. Rates quoted in the words shall be treated as final for deciding L1 bidder.



- 5) Quotations will be opened on the same day **(10/05/2019)** at **3.30 PM** in the presence of agency or their authorized representatives, if any. The offer of the agency should be commercially clear including acceptance of all terms and conditions of this Quotation by the agency. IISER Pune reserves the right to accept or reject the quotation/s without assigning any reasons.
- 6) Quotations submitted with any conditions shall be treated as 'Conditional Quotation' and shall be summarily be rejected by IISER PUNE.
- 7) Quoted rates should be inclusive of cost of all the materials, labour cost , GST , all taxes, octroi, duties, cost of sample and fees towards testing of materials in labs, royalties etc. complete. Nothing extra shall be paid separately.
- 8) All approved makes shall be as per list attached with this and as per CPWD and manufactures specifications. Agency should put-up technical data and obtain prior approval on makes of various materials of IISER PUNE before taking-up work.  
The successful agency shall make his own arrangement for all Tools & tackles for work etc complete in view of completion of work. Electricity shall be provided free of cost to agency at one source, agency should make own arrangement to safely tap of power from source to work location.  
No advance payment shall be made by IISER Pune.  
Quoted rates should be including GST, TDS and other applicable taxes and cess will be deducted from the bills of the work as applicable.
- 9) Specification for the work to be carried out as per BOQ, latest CPWD specification, IS specifications, manufactured specification & as per instruction of IISER PUNE whenever specification CPWD/ IS specification are not available.
- 10) The contractor shall ensure that minimum wages should be paid to the labours and employees in accordance with labour laws.
- 11) L1 Agency to submit actual measurements and abstract sheet to IISER PUNE within 30 days from completion of work.

  
**Executive Engineer,**  
**IISER Pune**

Encl: - 1. Schedule of Quantity  
2. Approved Make list for electrical

Sign & stamp of Agency-



**Schedule of Quantity**  
**Name of work : Providing Electrical distribution system and required arrangement for installation of energy meter at D building, IISER Pune.**

Sr.No.	Description	Qty	unit	Rate in words and figure	Amount
1	Supply of 4 C x 35 sqmm Aluminium conductor, Armoured cable, 1.1 KV grade, PVC /XLPE insulated, make Polycab / mokey/ RR.	300	meter		
2	Laying and fixing of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of up to 35 sqmm cable size on cable tray / open mensory duct / on wall surface with clamps etc., as required.	100	meter		
3	Laying and fixing of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of up to 35 sqmm cable size in trench with clamps etc., as required.	100	meter		
4	Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required. ( Upto 35 sqmm cable )	100	meter		
5	Supplying and making end termination with brass compression gland and aluminium lugs for 4 c x 35 sqmm al arm cable of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.	2	Nos		
6	Supply, installation, testing and commissioning of 4 way metal enclosure box with 4P 63 A 300 mA RCCB, having cable entries, earthing terminals on surface as required and complete.	2	Nos		
7	Supplying & fixing 4 way double door prewired vertical type TP&N MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box of sheet steel, dust protected, duly powder painted, inclusive of 200 amps timed copper bus bar, common neutral link, earth bar, din bar for mounted MCB's, terminal connectors for all incoming and outgoing circuits, with adequate size of FR PVC insulated copper conductor upto the terminal connector/ neutral link, earthing etc as required (suitable for MCCB incomer but without MCB/RCCB/MCCB). (Note: Prewired vertical type MCB TP&N is normally used where 3 phase outlets are required) ( Make : legrand/siemens/L&T)	1	Nos		
8	Supplying and fixing 63 A rating, 240/415 V, 10 KA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc.. as required. ( FOUR POLE ) ( Make Legrand / MK / Siemens )	1	Nos		



9	Supplying and fixing 20 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, Supporting DIN, testing and commissioning etc. as required ( DOUBLE POLE ) ( Make Legrand / MK / Siemens )	69	Nos		
10	Supplying and fixing 16 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. ( SINGLE POLE ) ( Make Legrand / MK / Siemens )	8	Nos		
11	Wiring for circuit/ submain wiring alongwith earth wire with the 2 X 4 sq. mm + 1 X 4 sq. mm earth wire sq. mm earth wire of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. ( Make Polycab / Finolex / RR )	300	meter		
12	Supplying and making end termination with brass compression gland and aluminium lugs for 3 1/2 C X 180 to 300 sqmm al arm cable of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.	16	Nos		
13	Supplying and making end termination with PVC gland and copper lugs for 4 sqmm cable / wire cable of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.	366	Nos		
14	Insulation testing of armoured aluminium and copper cable with required disconnection and retermination of cable. Work includes insulation test with calibrated 1000 / 500 V insulation tester . Submission of report with stamp and sign of contractor & License supervisor as per format of MSEDCCL.	10	Nos		
15	Disconnection and Supplying and making end termination with brass compression gland and aluminium lugs for 4 x 35 sqmm al arm cable of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.	1	Nos		
16	Testing of submain wiring from Floor / main panel to Energy meter, Energy meter to particular flat and whole flat wiring including all points. Testing and checking will be done for insulation test, continuity of sub main etc, upto point. All points should be check as per MSEDCCL norms and reports should be submitted to MSEDCCL as per format required within stipulated time decided by Engineer in charge. Any changes required in circuit during testing and checking is in scope of agency.	61	Nos		



17	Installation of Energy meter ( Single phase Engergy meter ) into existing panel with numbering and termination of wires with lugs etc and required hardware. Co ordination with MSEDCIL authorities for Submission of Test report and required permissions to complete the work is in scope of agency.	61	Nos	
TOTAL				
SIGN AND STAMP OF AGENCY				

*D. Kulkarni*  
EXECUTIVE ENGINEER



**APPROVED MAKELIST FOR ELECTRICAL**

		ISER PUNE
S.No.	Material	Make
1	Instrument Transformers Indicating Meters	Kappa/Kalpa/Voltamp
2	Analog	Meco/Rishab/AE/HPL
3	Digital	Meco/AE/Socomec/Conzerv/SECURE/HPL
4	Indicating Lamps	GE/SCHNEIDER/ Teknic/L&T/ALTOS, (MULTIPLE LEDS)
5	PLC / Digital Load Monitor / Power monitor	Electrex/Allen Bradley/GE/Schneider/Conzerv
6	Panel Accessories / Terminal block	Dirak/Elmax/phoenix/Wago
7	Timers	L&T/Minilec/ Siemens/ GE/ Schneider
8	TVSS	ASCO /Schneider/ABB
9	Cable Terminating Kits	Raychem Heat Shrinkable/3M/CCI
10	Earthing	Erico/Nimbus/Ashlok
11	MV Switch Boards (LT panels)	Accusonic /Load Controls /Elins / Lotus Switchgear / Pace Switch gears/ Suvarna Electricals
12	Moulded Case Circuit Breaker	GE (Spectra / Record)/Schneider (COMPACT)/ L & T (0 SINE)/ABB/MDS Legrand
13	MCB Distribution Board	Legrand/Schneider /Siemens
14	Miniature Circuit Breaker	MK/Legrand /Siemens/Schneider
15	ELCB / RCBO	MK/Legrand /Siemens/Schneider
16	Earth Leakage Relay	MK/Legrand /Siemens/Schneider
17	LT Cables (XLPE)	Polycab/Finolex/CCI





18	PVC Insulated copper wire FRLS	Polycab/Finolex/CCI
19	Cable Glands	Dowells/SMI/CCI/Electrowerke
20	PVC Rigid conduits	Precision/DIAMOND/Finolex/Polycab
21	M S Conduits	BEC/BI,
22	Switches, Sockets, Plug etc	Legrand Mosaic/MK/Schneider / Anchor(Ave)
23	Ceiling rose / HOLDERS	Legrand Mosaic/MK/Schneider / Anchor(Ave)
24	Light fitting, Fluorescent CFL/GLS	Philips / Wipro/ GE
25	LED Light fitting	Wipro/Asian/Siska /Philips
26	Ceiling Fan	Crompton greaves (high breeze) / Bajaj Super Model /Usha
27	Exhaust Fans	Alstom/Almonard/Usha/GGL
28	Telephone Cables	Delton/Finolex/ Polycab
29	Telephone Sockets	Anchor /MK (Suitable to mount on Legrand DLP trunking) / Elmex
30	Terminal Junction boxes	Legrand Mosaic/MK/Schneider,
31	Power Socket Industrial type	Anchor/Legrand/MK
32	TV Outlet	Storrax/ Skaber/Profab
33	Cable trays	Storrax/ Skaber/Profab
34	Metallic raceways	LEGRAND/ MK/Schneider
35	PVC raceways / PVC DLP trucking	Philips/Wipro/GE
36	Aluminium raceways	LEGRAND/ MK/Schneider
37	Surface / Recess mounted FTL fixtures	Philips/Wipro/GE
38	Recess mounted down lighter	Philips/Wipro/GE
39	Wall mounted luminaire	D-link/Legrand/Polycab
40	Data Cable - CAT-6	Philips/Wipro /GE/Philips
41	External light fittings/ Garden Light fittings	Legrand Mosaic/ MK/Schneider/Anchor
42	Base plates and face plates	



43	Full loaded patch panels	D link or RR
44	Data patch cords	D link or RR
45	Fire Alarm Control Panel	Notifier / Edward / Bosch / Cooper / Siemens
46	Repeater Panel	Notifier / Edward / Bosch / Cooper / Siemens
47	Addressable Smoke Detector	Notifier / Edward / Bosch / Cooper / Siemens
48	Addressable Multi Sensor Detector	Notifier / Edward / Bosch / Cooper / Siemens
49	Addressable Heat Detector	Notifier / Edward / Bosch / Cooper / Siemens
50	Addressable Strobe Cum Sounder	Notifier / Edward / Bosch / Cooper / Siemens
51	Addressable Sounder / Hooter	Notifier / Edward / Bosch / Cooper / Siemens
52	Addressable Manual Call point	Notifier / Edward / Bosch / Cooper / Siemens
53	Addressable Monitor Module	Notifier / Edward / Bosch / Cooper / Siemens
54	Addressable Control Module	Notifier / Edward / Bosch / Cooper / Siemens
55	FRLS Armoured Cable	Finolex / Polycab / Lapp
56	Other Items	Approval of Engineer In charge.
57	Isolation Transformer	Numeric Digital system (Novature)/ Neelkanth power solution/Ador powertrans



*Pratibha*

Executive Engineer

IISER Pune