

Bid Document		
	Bid Details	
Bid End Date/Time	29-09-2020 09:00:00	
Bid Opening Date/Time	29-09-2020 09:30:00	
Bid Life Cycle (From Publish Date)	90 (Days)	
Bid Offer Validity (From End Date)	75 (Days)	
Ministry/State Name	Ministry Of Human Resource Development	
Department Name	Department Of Higher Education	
Organisation Name	Indian Institute Of Science Education And Research (iisers)	
Office Name	Pune 411008	
Total Quantity	31	
Item Category	Sofas (PAC Only) , Restaurant Chair (PAC Only) , Single / Double Bed - Wooden - With / Without Box (PAC Only) , Dressing Table (PAC Only) , Executive Table (PAC Only)	
MSE Exemption for Years of Experience and Turnover	No	
Startup Exemption for Years of Experience and Turnover	No	
Document required from seller	Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
Bid to RA enabled	No	
Primary product category	Executive Table	
Inspection Required	No	

EMD Detail

Advisory	Bank	State Bank of India
EMD Pero	entage(%)	2.00
EMD Amo	punt	10315

ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	10.00
Duration of ePBG required (Months).	12

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary: Director

Pune 411008, Department of Higher Education, Indian Institute of Science Education and Research (IISERs), Ministry of Human Resource Development (Director Indian Institute Of Science Education And Research, Pune)

Splitting

Bid splitting not applied.

Sofas (2 pieces) (Under PAC)

Make	godrejinterio	
Model	godrejinterioencardo1seatersofa	

Technical Specifications

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
Material	Frame Structure Material and size (±1 mm)	any other wood of minimum 25 mm thickness	Carved Teak wood of minimum 25 mm thickness, any other wood of minimum 25 mm thickness
	Seat Cusion Material	foam	foam
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	35	*
	Type of Spring in the Base / Seating	web suspension	web suspension
Generic	Total Number of Seats in the Sofa Set (Nos)	1	1
	Type of Sofa and Backrest	Seat and Backrest are permanently fixed with the frame Structure	*
	Number of Single Seater Units (Nos)	1	1
	Number of Two Seater Units (Nos)	NO TWO SEATER UNIT	NO TWO SEATER UNIT
	Number of Three Seater Units (Nos)	NO THREE SEATER UNIT	NO THREE SEATER UNIT
	Number of Four Seater Units (Nos)	NO FOUR SEATER UNITS	NO FOUR SEATER UNITS
	Frame Covering	Partially Upholstered	Partially Upholstered
	Sofa Set is Foldable to use as bed	No	No
	Backrest Cushion Material	foam	*

	Density of Cushion of Backrest Material (Kg/Cubic M)	28	*
	Covering Material for Seat and Backrest	Leatherite	Leatherite
Dimension	Length of Single Seater Units in mm (±5 mm)	850	850
	Length of Two Seater Units in mm (±10 mm)	N.A	N.A
	Length of Three Seater Units in mm (±10 mm)	N.A	N.A
	Length of Four Seater Units in mm (±10 mm)	N.A	N.A
	Depth of Sofa Units in mm (±10 mm)	900	900
	Sofa Height (Without Back Cushion) ±5 (mm)	450	450.0
	Sofa Height (With Back Cushion) ±5 mm	800	800.0
	Arm Width ±5 (mm)	100	*
	Arm Height ±5 (mm)	550	*
	Seat Height (With Seat Cushion) ± 5 (mm)	450	*
	Sofa Leg Height ±2(mm)	150	*
	Sofa Leg Width / Diameter ±2 (mm)	25	*
	Seat Cushion Length ±5 (mm)	450	450
	Seat Cushion Width ±5 (mm)	510	510
	Seat Cusion Thickness ±5 (mm)	100	100
	Backrest Cushion Length ±5 (mm)	895	895
	Backrest Cushion Width ±5 (mm)	508	508
	Backrest Cushion Thickness ±3 (mm)	60	*
	Thickness of Foam in arms ±2 (mm)	N.A	*
	Thickness of Foam in back ±2 (mm)	50	*
	Thickness of Foam in front ±2 (mm)	15	*
	Thickness of Foam in sides ±2 (mm)	10	*
Colour & Finish	Colour of Polish on exposed Wood frame	dark brown	*

	Colour of Covering Material	brown	*
Warranty	WARRANTY PERIOD IN NUMBER OF YEARS	1	1

* Specifications highlighted in bold are the Golden Parameters. * Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status : 020 2590 8246, PUNE CITY, 411008	2	45

Sofas (1 pieces) (Under PAC)

Make	godrejinterio	
Model	godrejinterioencardo3seatersofa	

Technical Specifications

Specification Specification Name		Values	Bid Requirement (Allowed Values)
Material	Frame Structure Material and size (±1 mm)	any other wood of minimum 25 mm thickness	Carved Teak wood of minimum 25 mm thickness, any other wood of minimum 25 mm thickness
	Seat Cusion Material	foam	foam
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	Seat Material ±3 (Kg/Cubic M)	*
	Type of Spring in the Base / Seating	web suspension	web suspension
Generic	Total Number of Seats in the Sofa Set (Nos)	3	3
	Type of Sofa and Backrest	Seat and Backrest are permanently fixed with the frame Structure	*
	Number of Single Seater Units (Nos)	NO SINGLE SEATER UNIT	NO SINGLE SEATER UNIT
	Number of Two Seater Units (Nos)	NO TWO SEATER UNIT	NO TWO SEATER UNIT

	Number of Three Seater Units (Nos)	1	1
	Number of Four Seater Units (Nos)	NO FOUR SEATER UNITS	NO FOUR SEATER UNITS
	Frame Covering	Partially Upholstered	Partially Upholstered
	Sofa Set is Foldable to use as bed	No	No
	Backrest Cushion Material	foam	*
	Density of Cushion of Backrest Material (Kg/Cubic M)	28	*
	Covering Material for Seat and Backrest	Leatherite	Leatherite
Dimension	Length of Single Seater Units in mm (±5 mm)	N.A	N.A
	Length of Two Seater Units in mm (±10 mm)	N.A	N.A
	Length of Three Seater Units in mm (±10 mm)	1750	1750
	Length of Four Seater Units in mm (±10 mm)	N.A	N.A
	Depth of Sofa Units in mm (±10 mm)	900	900
	Sofa Height (Without Back Cushion) ±5 (mm)	450	450.0
	Sofa Height (With Back Cushion) ±5 mm	800	800.0
	Arm Width ±5 (mm)	100	*
	Arm Height ±5 (mm)	550	*
	Seat Height (With Seat Cushion) ±5 (mm)	450	*
	Sofa Leg Height ±2(mm)	150	*
	Sofa Leg Width / Diameter ±2 (mm)	25	*
	Seat Cushion Length ±5 (mm)	1700	1700
	Seat Cushion Width ±5 (mm)	510	510
	Seat Cusion Thickness ±5 (mm)	100	100
	Backrest Cushion Length ±5 (mm)	1450	1450
	Backrest Cushion Width ±5 (mm)	508	508
	Backrest Cushion Thickness ±3 (mm)	60	*

Warranty	WARRANTY PERIOD IN NUMBER OF YEARS	1	1
	Colour of Covering Material	brown	*
Colour & Finish	Colour of Polish on exposed Wood frame	dark brown	*
	Thickness of Foam in sides ±2 (mm)	10	*
	Thickness of Foam in front ±2 (mm)	15	*
	Thickness of Foam in back ±2 (mm)	50	*
	Thickness of Foam in arms ± 2 (mm)	N.A	*

Specifications highlighted in bold are the Golden Parameters.
 Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road, Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status: 020 2590 8246, PUNE CITY, 411008	1	45

Restaurant Chair (7 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriorosediningchair

Technical Specifications

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Chair Armrest	Without	Without
	Type of seat	MDF Board	MDF Board
	Seat Cushion	With	With
	Back Rest Cushion	with	with
	Upholstery	Leatherite	Leatherite
	Shape of Seat	Rectangular	*
MATERIAL	Material of frame	Other wood	Other wood

1			
	Thickness of foam	60 mm	*
	Density of foam in Kg per Cubic Meter	35	*
DIMENSION	Chair height (overall) ±10mm	900mm	900mm
	Backrest width ±10mm	425	425
	Width of seat ±10mm	425	425
	Depth of seat in mm (+/- 10 mm)	550	550
	Height of seat in mm (+/- 5 mm)	475	475
COLOUR & FINISH	Seat Finish	Cushioned	Cushioned
	Shade of fabric/leather/leatherite	Cream	*
	Exposed Wooden / Metal Parts Finish	Melamine Polish	Melamine Polish
WARRANTY	Warrantee period in number of years	1	1, 2, 3, 4, 5 Or higher
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	BIFMA certification	NO	*
	OEM of offered product	×===	
	is ISO 9001:2015 certified	YES	*
	is ISO 9001:2015	YES	* *
	is ISO 9001:2015 certified OEM of offered product is ISO 14001:2015		

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road, Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status : 020 2590 8246, PUNE CITY, 411008	7	45

Single / Double Bed - Wooden - With / Without Box (7 pieces) (Under PAC)

ĺ	Make	godrejinterio	
	Model	godrejinteriosquadroqueenbed	

Technical Specifications

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Material of Mattresses Panel	Other wood	Other wood
	Material of Bottom Panel of Storage Box	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	Material of Front, Back and side Panels	MDF Board Conforming To IS:12406(Grade SBG I)	MDF Board Conforming To IS:12406(Grade SBG I)
	Material of Headrest	mdf board conforming to is 12406 grade sbg i	mdf board conforming to is 12406 grade sbg i
	Material of Legrest	mdf board conforming to is 12406 grade sbg i	mdf board conforming to is 12406 grade sbg i
GENERIC	Type of Bed	Double Bed	Wooden Double Bed
	Material of Bed Frame	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest	Three layer prelaminated particles board (Wood product) of grade II type II of IS 12823/Latest
	Headrest provided	Yes	*
	Legrest provided	Yes	*
	Opening of Storage Box	Opening from Side	*
	Number of Openings (Nos)	2	*
	Hydraulic System provided for Opening	No	No
	Top Panel have Supports from all the four sides	YES	*
	Leg Details	metal legs	*
	Number of Supports under Bottom Panel of storage box (Nos)	3	*
DIMENSIONS	Mattress Fixing Length ±10 (mm)	1830	*
	Mattress Fixing Width ±10 (mm)	1525	1525
	Mattress Panel Height ±5 (mm)	200	*
	Depth of Storage Box in mm (±10 mm)	850	*
	Thickness of Mattresses Panel ± 1(mm)	19	*
	Thickness of Bottom Panel of Storage Box ±1 (mm)	19	*

WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1	1
	All Visible Wood Parts to be Polished	NA	*
	Colour of Lamination	Wengee	*
FINISHING	Colour of Paint	dark brown	*
COLOUR &	Finish	Laminated	Laminated
	Size of Supports on under Bottom Panel of storage box ±2 (mmxmm)	35 x 35	*
	Size OF SUPPORT for Top Panel ± 2 (mmxmm)	25 x 25	*
	Overall Length of Legrest ±10 (mm)	1525	1525
	Overall Height of Legrest ±5 (mm)	450	450
	Thickness of material of Legrest ± 2 (mm)	25	*
	Length of Headrest ± 10 (mm)	1525	*
	Overall Height of Headrest ±5 (mm)	900	*
	Thickness of material of Headrest ±2 (mm)	18	18
	Thickness of Front, Back and Side Panels ± 2 (mm)	25	*

* Specifications highlighted in bold are the Golden Parameters. * Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008, Indian Institute of Science Education and Research, Pune (IISER) Dr. Homi Bhabha Road, Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status : 020 2590 8246, PUNE CITY, 411008	7	45

Dressing Table (7 pieces) (Under PAC)

M	lake	godrejinterio	
M	lodel	godrejinteriozurinadresserwithstool	

Technical Specifications

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Mode of Supply	Knocked Down To Be Assembled At Consignee Site By The Seller	Knocked Down To Be Assembled At Consignee Site By The Seller
	Design of Dressing	With drawers and cupboard	With drawers and cupboard
	table Base of dressing table	Four number buffers at bottom	Four number buffers at bottom
	Number of side mirror	1 number	1 number
	Shape of mirror	Rectangular	*
MATERIAL and MATERIAL THICKNESS	Material specification	Prelaminated particle board of grade II type III of IS 12823/Latest.both side laminated. outer side laminated with shade matching with top shade and fascia shade and having balancing laminate of 0.5mm thick on other side	Prelaminated particle board of grade II type III of IS 12823/Latest.both side laminated. outer side laminated with shade matching with top shade and fascia shade and having balancing laminate of 0.5mm thick on other side
	Material thickness of complete body, Fascia and drawer/cupboard	15	15.0
	Material thickness for back, partition and drawer /cupboard bottom ± 2mm	19	19.0
	Mirror side frame material thickness±2mm	19mm	19mm
	Skirting thickness ± 2mm	19	*
	All plains panel edge to be bended	With 0.8-1.0mm thick PVC tape with the help of hot melt glue	*
MISC	Number of Drawers	1	*
	Number of cupboards	1	*
	Number of shelves in vertical compartment	N.A	*
	Type of door for cupboard	Hung on side	*
	Openable doors hung on side of the cupboard	With help of auto closing hinges of O cracking overlay type	*
	Length of side mirror	1070 mm	1070 mm
	Width of side mirror	360 mm	*
	Shape of side mirror	Rectangular	*
	Handle for Drawer/cupbo ard/compartment	Corrosion Resistance Metal	*
	Preservation treatment	YES	*

	Locking system provided	NO	*
	Fixing of channel for drawers	N.A	*
	Length of telescopic channel ±10mm	N.A	*
	Average weight of telescopic channel ±15GMs	N.A	*
DIMENSION	Overall height of dressing table ±10mm	1680	1680.0
	Width of dressing table ±10mm	610	610.0
	Depth of dressing table ±10mm	460	460.0
	Length of mirror	1070	1070.0
	Width of mirror	380	380.0
	Thickness of mirror	4	4, 6, 8, 10, 12, 14 Or higher
COLOUR AND	Colour	Oak	*
FINISH	Material finish	Swede finish	*
WARRANTY	Warranty period in number of years	1	1, 2, 3 Or higher
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	Product having BIFMA certification	NO	NO

Specifications highlighted in bold are the Golden Parameters.
 * Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally
be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road, Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status : 020 2590 8246, PUNE CITY, 411008	7	45

Executive Table (7 pieces) (Under PAC)

Make	godrejinterio
Model	godrejinteriounostudytable

Technical Specifications

Specification	Specification Name	Values	Bid Requirement (Allowed Values)	
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller	Knocked Down To Be Assembled At Consignee Site By The Seller	
	Frame type	Free standing	*	
	Understructure of table	Gable end and modesty panel	*	
	Storage provided	One side	One side	
	Keyboard tray	Not provided	Not provided	
	Foot rest	Not Provided	Not Provided	
MATERIAL	Table top Material	MDF board of grade SBG II of IS 12406/Latest	MDF board of grade SBG II of IS 12406/Latest	
	Gable end and modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	
	Leg Material	Other wood	Other wood	
MISC	Table top long sides	To be post form half round profile	*	
	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*	
	Gable end and modesty panel plain side	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue	*	
	Number of buffers provided	4 Nos. at bottom	*	
DIMENSION	Thickness of table top ±2 mm	15	15.0	
	Thickness of gable end and modesty panel ±2mm	15	*	
	Length of table top ±10 mm	900	900.0	
	Depth of table ±10 mm	600	600.0	
	Height of table ±10 mm	725	725.0	
	Dimension of leg(mmXmm) ±5mm	No legs	No legs	
STORAGE UNIT	Number of Storage unit provided	Single storage	Single storage	
	Width of storage unit ±10mm	400mm	*	
	Depth of storage unit in mm (±10mm)	470	*	
	Height of smallest storage unit ±5mm	125mm	*	
	Height of medium storage unit ±5mm	N.A	*	

1			
	Height of largest storage unit ±5mm	N.A	*
KEYBOARD TRAY	Type of keyboard tray	N.A	*
	Material of keyboard tray and Right angle L- type supporting bracket	N.A	*
	Keyboard adjustablity	N.A	*
	fixing of supporting bracket	N.A	*
	Length of telescopic channe±l0mm	N.A	*
	Average weight of telescopic channel ±50Gms	N.A	*
	Keyboard front width±10mm	N.A	*
	Keyboard depth±10mm	N.A	*
	Keyboard height±10mm	N.A	*
	Finish of exposed edges of keyboard tray	N.A	*
	Material thickness of keyboard tray ±1mm	N.A	*
FOOTREST	Material of footrest	N.A	*
	Length of footrest ±10mm	N.A	*
	Depth of footrest ±10mm	N.A	*
	Height of footrest ±10mm	N.A	*
	Finish of exposed edges	N.A	*
	Material thickness of footrest ±2mm	N.A	N.A
COLOUR & FINISH	Table top finish	Laminate in colour with matt finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side	*
	Table top shade	Gray	*
WARRANTY	Warrantee period in number of years	1	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	*
	Product having BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO	YES	YES

OEM of offered YES YES product is ISO 18001:2007 certified	14001:201	5 certified		
	product is	ISO	YES	

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	John Albert K	411008,Indian Institute of Science Education and Research, Pune (IISER) Dr.Homi Bhabha Road , Pashan Pune 411008 Email: purchase@iiserpune.ac.in For Payment Status: 020 2590 8180/8452 For Delivery Status : 020 2590 8246, PUNE CITY, 411008	7	45

Bid Specific Additional Terms and Conditions

- 1.Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 2.Bidders can also submit the EMD with Account Payee Demand Draft in favour of Director Indian Institute of Science Education and Research Pune payable at Pune. Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.
- 3.Bidders can also submit the EMD with Banker's Cheque in favour of Director Indian Institute of Science Education and Research Pune payable at Pune.

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

- 4.Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 5.Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
- 6.ISO 9001: The bidder must have ISO 9001 certification.
- 7.Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.

(iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

- 8.OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
- 9.Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

- 10.Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of Director Indian Institute of Science Education and Research Pune payable at Pune. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.
- 11. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 10 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

This Bid is also governed by the General Terms and Conditions

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---